

---

SECTION 1 - PRODUCT INFORMATION

MANUFACTURER'S NAME: Fake Bake Tanning Products

Preparer: G.A. Mitchell

Effective Date: 2-7-2006

Poison Control Center: 800-764-7661

EMERGENCY PHONE: 918-524-9990

---

SECTION 2 – POTENTIALHAZARDOUS INGREDIENTS

CHEMICAL IDENTITY:		CAS #
Dimethyl Ether		115-10-06
Ethyl Alcohol		64-17-5

---

SECTION 3 – REACTIVITY AND STORAGE

PROPER STORAGE CONDITIONS: Keep container away from heat, sparks, and flame, keep product at room temperature

CONDITIONS TO AVOID: Temperatures above 135°F

INCOMPATIBILITY (MATERIALS TO AVOID): Flammable, oxidizing, ingredients

HARMFUL BY-PRODUCTS: Dimethyl Ether

STABILITY: Stable

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM RATINGS (HMIS): Class 2 Flammable

---

SECTION 4 – HEALTH HAZARDS

Inhalation of high concentrations of vapor are harmful and reduce oxygen available for breathing, may produce some eye irritation with some tearing.

INGREDIENT(S) LISTED AS CANCER CAUSING AGENT: N/A

NTP:    IARC MONOGRAPH    OSHA REGISTERED    N/A

HEALTH HAZARDS: (RESULTING FROM MISUSE OR OVER-EXPOSURE)

SHORT TERM EFFECTS: N/A

LONG TERM EFFECTS: N/A

SINGS AND SYMPTOMS OF OVER-EXPOSURE TO SKIN: If irritation occurs, discontinue use.

SINGS AND SYMPTOMS OF OVER-EXPOSURE TO EYES: If irritation occurs, discontinue use.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

EMERGENCY AND FIRST AID TREATMENT

EYE CONTACT: Flush eyes with water.

SKIN CONTACT: If irritation occurs, discontinue use.

INHALATION: If high concentrations are inhaled, move to fresh air.

INGESTION: Ingestion is not considered a potential route of exposure.

SECTION 5 – CONTROL MEASURES

SPECIFIED RESPIRATORY PROTECTION: N/A

VENTILATION REQUIRED: LOCAL EXHAUST\_N/A\_MECHANICAL\_N/A\_SPECIAL\_N/A\_

WORK/YGEINIC PRACTICES: FOLLOW STANDARD GOOD MANUFACTURING PRACTICES FOR HANDLING AND STORAGE OR RAW MATERIALS.

OTHER SPECIAL PRECAUTIONS OR PROTECTIVE EQUIPMENT: N/A

---

SECTION 6 – PRECAUTIONS FOR SAFE HANDLING AND USE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: HANDLE AND STORE UNDER NORMAL CONDITIONS FOLLOWING GOOD MANUFACTURING PRACTICES FOR RAW MATERIALS. Do not incinerate can or expose to flame.

OTHER PRECAUTIONS FOR SAFE USE: RUBBER GLOVES FOR PERSONS CONTINUOUSLY EXPOSED TO THIS MATERIAL N/A  
EYES – SPLASH RESISTANT GOGGLES

PROCEDURES TO BE FOLLOWED IN THE EVENT OF A SPILL: N/A

WASTE DISPOSAL METHOD: FOLLOW ALL FEDERAL, STATE AND LOCAL REGULATIONS REGARDING DISPOSAL METHOD.

---

SECTION 7 – NON-OHYSICAL CHARACTERISTICS

WATER SOLUBILITY: S  
BOILING POINT: 200°F  
VAPOR PRESSURE: N/A  
PHYSICAL FORM: Aerosol  
ODOR: Pleasant  
EVAPORATION RATE: N/A

SPECIFIC GRAVITY: .9875  
APPEARANCE: Liquid  
MELTING POINT: N/A  
VAPOR DENSITY: N/A  
PERCENT VOLATILE BY WEIGHT: 35%

---

SECTION 8 – FIRE AND EXPLOSION DATA

FLASH POINT:  
150\*

METHOD USED:  
TOC

EXTINGUISHING METHOD:  
water fog, carbon dioxide

FLAMMABLE LIMITS IN AIR, % VOLUME: N/A

LEL: UEL:

SPECIAL FIRE FIGHTING PROCEDURES: N/A

UNUSUAL FIRE AND/OR EXPLOSION HAZARDS: Keep away from high heat and open flames.

OTHER: THIS INFORMATION HEREIN IS PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE AS OF THE EFFECTIVE DATE SHOWN ABOVE. HOWEVER, NO WARRANTY, EXPRESS OR IMPLIED IS GIVEN.