MATERIAL SAFETY DATA SHEET

Page 1 of 7

MSDS-003

Prep	pared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 3.3 MSDS Revision Date: 09/16/2010
	1. PRODUCT IDENTIFICATION
1.1	Product Name:
	ABSOLUTEfx ChromaTones Precision Color Powders - All Shades
1.2	Chemical Name: ACRYLATES COPOLYMER POWDER
1.3	Synonyms: NA
1.4	Trade Names: AA (7xx)
1.5	Product Use:
	PROFESSIONAL OR SUNDRY USE ONLY
1.6	Manufacturer's Name:
17	OPI PRODUCTS, INC. Manufacturer's Address:
1.7	13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA
1.8	Emergency Phone:
1.0	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300
1.9	Business Phone:
	+1 (818) 759-2400 / +1 (800)-341-9999
	2. HAZARD IDENTIFICATION
2.1	Hazard Identification: This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC:1088 (2004) and ADG Code (Australia). Allergic contact dermatitis is possible with prolonged or repeated contact. The product is a fine powder, and may cause a slipping and falling hazard if spilled.
2.2	Routes of Entry: Inhalation: YES Absorption: NO Ingestion: YES
2.3	Effects of Exposure: EYES: Possible irritation from dust. SKIN: Irritation. Allergic contact dermatitis is possible with prolonged or repeated contact. INGESTION: No exposure effects are reported. INHALATION: Considered a nuisance dust. May cause irritation of the mouth, nose, throat, and lungs.
2.4	Symptoms of Overexposure: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
2.5	Acute Health Effects: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness,
	headaches and nausea.
2.6	Chronic Health Effects:
2.7	No long-term health effects are known. Target Organs:
2.1	Eyes, skin & respiratory system.
	Lyes, skill a respiratory system.
NIA	Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used
	: Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section To for Additional Definitions of Terms used : all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

MATERIAL SAFETY DATA SHEET

Page 2 of 7

MSDS-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 3.3

MSDS Revision Date: 09/16/2010

3	COMPOSITION &	INGREDIENT INFORMATION	
J.	COMI COILICIA &	HAGKEDILIAI HAI OKMAHOIA	

	<u> </u>	•••						• •					
									MITS IN)	
					AC		l	NOHSC	:		OSHA		
					pp	m	ES-	ppm ES-	ES-		ppm		OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
ACRYLATES COPOLYMER	25133-97-5	NA	NA	≤ 88.0	NA	NA	NF	NF	NF	NA	NA	NA	
BENZOYL PEROXIDE	94-36-0	DM8575000	202-327-6	≤ 1.0	(5)	NA	NF	NF	NF	(5)	NA	NA	
SILICA	7631-86-9	EU8655000	262-373-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
MAY ALSO CONTAIN:													
MICA	12001-26-2	VV8760000	310-127-6	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
POLYETHYLENE TEREPHTHALATE	25038-59-9	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77000 (ALUMINIUM POWDER)	7429-90-5	BD0330000	231-072-3	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLYBUTYLENE TEREPHTHALATE	26062-94-2	NA	NA	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
ETHYLENE/VA COPOLYMER	24937-78-8	NA	NA	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
POLYESTER-3	NA	NA	NA	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77891 (TITANIUM DIOXIDE)	13463-67-7	XR2275000	236-675-5	≤ 1.0	(10)	NA	NF	NF	NF	(15)	NA	NA	
CI 77510 (FERRIC FERROCYANIDE)	25869-00-5	NA	247-304-1	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 47005 (YELLOW 10)	8003-22-3	NA	232-318-2	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77491 (IRON OXIDE)	1309-37-1	NO7400000	215-168-2	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77492 (IRON OXIDE)	51274-00-1	NA	257-098-5	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77499 (IRON OXIDE)	1309-37-9	NA	215-277-5	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77163 (BISMUTH OXYCHLORIDE)	7787-59-9	EB2700000	232-122-7	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 15850 (RED 7)	5858-81-1	NA	227-497-9	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 73360 (Red 30)	2379-74-0	NA	219-163-6	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 15985 (YELLOW 6)	2783-94-0	NA	220-491-7	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77742 (MANGANESE VIOLET)	10101-66-3	NA	233-257-4	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77007 (ULTRAMARINE BLUE)	101357-30-6		215-111-1	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
CI 47000 (YELLOW 11)	8003-22-3	GE5925000	232-318-2	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
					_							_	

4. FIRST AID MEASURES

4.1 First Aid:

INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the

nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was

ingested and the amount of the substance that was swallowed.

SKIN: If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the

affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If

irritation, redness or swelling persists, consult a physician immediately.

EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close

eyelid(s) to ensure thorough irrigation. If irritation persists seek immediate medical attention.

INHALATION: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention.

 $O \cdot P \cdot I$

MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-003

Prep	pared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 3.3	N	ASDS Revisio	n Date: 09/16	/2010		
	4. FIRST AID MEASURES - continue	ed					
4.2	Medical Conditions Aggravated by Exposure: Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes,						
	skin, respiratory system). Preclude from exposure those individuals that are susceptible to dermatitis, asthma or bronchitis.	FLAM/	MABILITY	7	1		
	susceptible to dermains, astrina or bronchins.	REAC1	IVITY		1		
		CTIVE E	QUIPMEN	т в			
		EYES	SKIN				
	5 FIREFIGUEING MEAGURES						
	5. FIREFIGHTING MEASURES						
5.1	Flashpoint & Method:						
	264 °C (508 °F), TCC						
5.2	Autoignition Temperature:						
5.3		U.s. s. s. F.		(1151)	T 21.0		
	Edwar Expressive Elimit (EEE).	Upper Ex	plosive Limit	(UEL):	NA		
5.4	Fire & Explosion Hazards:	!!!					
5.5	Keep away from excessive heat, open flames, sparks, and other possible sources of ign Extinguishing Methods:	ition.					
5.5	Carbon dioxide, dry chemical & water spray.						
5.6	Firefighting Procedures:				1		
	Keep containers cool until well after the fire is out. Prevent runoff from fire control or dilu sewers, drains, drinking water supply, or any natural waterway. Firefighters should we contained breathing apparatus (MSHA/NIOSH approved or the equivalent) and important clothing.	ear full fac	e, self-				
	A COIDENTAL DELEASE MEASUR	EC					
6.1	6. ACCIDENTAL RELEASE MEASUR	ES					
	Before cleaning any spill or leak, individuals involved in spill cleanup must wear approp	riate Perso	nal Protectiv	e Equipment.			
	For small spills (e.g., < 5 lbs) wear appropriate personal protective equipment (e.g., gog and windows) and secure all sources of ignition. Carefully sweep up spilled material an disposal. Dispose of properly in accordance with local, state and federal regulations. With plenty of warm water and soap. Remove any contaminated clothing and wash tho	gles, glove d place int Vash all aff broughly be	s). Maximiz o appropria ected areas fore reuse.	e ventilation (te closed con and outside ((open doors tainer(s) for of container		
	For spills ≥ 5 lbs, deny entry to all unprotected individuals. Contain spill with inert material (e.g., sand or earth). Carefully sweep up spilled material and place into appropriate closed container(s) for disposal. TRemove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.						
	7. HANDLING & STORAGE INFORMA	TION					
7.1	Work & Hyglene Practices: Avoid prolonged contact with this material. Limit inhalation of the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. Do not eat, drink, or smoke while handling this product.						
7.2							
7.3	Special Precautions: Local exhaust ventilation is recommended.						
	2004 Oxidest fermion is recommended.						

10.5

Incompatible Substances:

Strong oxides, peroxides or strong acids.

MATERIAL SAFETY DATA SHEET

Page 4 of 7 **MSDS-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 3.3

MSDS Revision Date: 09/16/2010

8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: 8.1 Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Avoid eye contact. None required under normal conditions of use. However, may cause irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon), safety glasses with side shields should be used. 8.4 No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 8.5 No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES Density: NA 9.2 Boiling Point: NE 9.3 Melting Point: NE 9 4 Evaporation Rate: NA 9.5 Vapor Pressure: NA 9.6 Molecular Weight: NA 9.7 Appearance & Color: Clear powder with an mild acrylic odor, in bulk 98 Odor Threshold: NA Solubility Insoluble in water. 9.10 NA 9.11 Viscosity: ΝE 9.12 Other Information: NΑ 10. STABILITY & REACTIVITY Stability: 10.1 Relatively stable under ambient conditions when stored properly. 10.2 Hazardous Decomposition Products If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon & nitrogen). 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.

MATERIAL SAFETY DATA SHEET

Page 5 of 7

MSDS-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 3.3 MSDS Revision Date: 09/16/2010 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. 11.2 See Section 2.5 11.3 Chronic Toxicity No long-term health effects are known. 11.4 Suspected Carcinogen: This product is not reported to produce reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity This product is not reported to produce reproductive effects in humans. 11.6 Irritancy of Product: See Section 2.3 11.7 Biological Exposure Indices: NE Physician Recommendations: 11.8 Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. 12.2 Effects on Plants & Animals There is no specific data available for this product. 12.3 Effects on Aquatic Life There is no specific data available for this product. However, releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this MSDS. 13. DISPOSAL CONSIDERATIONS Dispose in accordance with local, state and Federal hazardous waste laws. 13.2 Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR. 14.1 49 CFR (GND): **NOT REGULATED NOT REGULATED** 14.3 IMDG (OCN) **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU) NOT REGULATED SCT (MEXICO) **NOT REGULATED** ADGR (AUS): **NOT REGULATED**

$0.9 \cdot 1$

e-mail: shipmate@shipmate.com

MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 3.3 MSDS Revision Date: 09/16/2010 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: 15.2 SARA Threshold Planning Quantity: TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt. CERCLA Reportable Quantity (RQ): 15.4 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). 15.6 Other Canadian Regulations This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B2 Flammable Liquid. 15.7 State Regulatory Information: Ingredients in this mixture on found on the following state criteria lists: California OSHA Hazardous Substances List Benzoyl Peroxide, Titanium dioxide, Silica **Delaware Air Quality Management List Benzoyl Peroxide** Massachusetts Hazardous Substances List Benzoyl Peroxide, Silica Minnesota Hazardous Substances List Benzoyl Peroxide, Silica New Jersey Right to Know Hazardous Substances List Benzoyl Peroxide, Silica Benzoyl Peroxide, Silica Pennsylvania Hazardous Substances List Wisconsin Hazardous Substances List **Benzoyl Peroxide** 67/548/EEC (European Union) Requirements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC. 16. OTHER INFORMATION Other Information: 16.1 Precisely follow directions and MSDS (available through your supplier) for use. Avoid skin contact. If redness or other signs of adverse reaction occur, discontinue use immediately. Use only in a well ventilated area. A ventilation system that expels vapors to the outdoors is recommended. Keep out of reach of children. In case of emergency, contact your physician or local Poison Control Center immediately. FOR PROFESSIONAL USE ONLY! 16.2 Terms & Definitions Please see last page of this MSDS. 16.3 Disclaimer This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for OPI Products, Inc. 13034 Saticoy Street $\mathbf{).P\cdot I}$ No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/ 16.5 Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700 Training & Consulting

MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 3.3

MSDS Revision Date: 09/16/2010

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration				
PEL Permissible Exposure Limit				
IDLH	Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

CPR	Cardiopulmo	nary res	suscitation -	- method ir	which a	person
	whose hear	t has	stopped	receives	manual	chest
	compressions	and br	eathing to	circulate bl	ood and p	orovide
	oxygen to the	body.				


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	3 Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion			
Temperature	in air with no other source of ignition			
LEL				
	volume, that will explode or ignite in the presence of			
	an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air,			
	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of			
	an ignition source			

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-₩ -	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the
	exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the
	exposed animal
ppm	Concentration expressed in parts of material per
PP	million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or
TC, TCo, LCio, & LCo	toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					

EC INFORMATION:

		*	*		*	X	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful