

Page 1 of 7

CND-N-069

Prepared to OSHA, ACC, ANSI, 1	WHMIS & 2001	/58 EC Standa	ards	MSDS F	Revision: 2	2.1	MSDS F	Revision D	ate:	01/15/2004
		1. PRO	DUCT IDEN	NTIFIC	ATION					
1.1 Product Name: BRISA TM UV FINISH	IING GLO									
1.2 Chemical Name: METHACRYLATE MIXTURE										
1.3 Synonyms:										
NA 1.4 Trade Names:										
NA 1.5 Product Use:										
PROFESSIONAL USE ONLY 1.6 Manufacturer's Name:										
CREATIVE NAIL DESIGN, IN 1.7 Manufacturer's Address:	C.									
1125 JOSHUA WAY, VISTA,	CA 92081 USA	4								
1.8 Emergency Phone: ROCKY MOUNTAIN P	OISON COI	NTROL CENT	TER: 30	3-623-	5716					
1.9 Business Phone: 800-833-NAIL (6245), 760-	599-2900									
000-000-IVAIL (0243), 700-1										
	2. COI	MPOSITIO	N & INGRE	DIEN	INFO			TC IN AID	/ 21	
					۸۵	GIH	SURE LIM	OSHA	(mg/m³)	OTHER
				0/	TLV	STEL	PEL	STEL	IDLH	OHIEK
CHEMICAL NAME(S) URETHANE METHACRYLATE	CAS No.	RTECS No.	EINECS No.	%	ppm	ppm	ppm	ppm	ppm	_
OLIGOMERS	NA	NA	NA	> 75.0	NE	NE	NE	NE	NE	
METHACRYLATE MONOMERS OTHER COMPONENTS PRESENT IN	NA LESS THAN 197	CONCENTRA	NA	≤ 15.0 BAL		NE AINING C	NE	NE DO N	NE NE COM	TRIBUTE ANY
OTHER COMI CITEMIST RESERVING		CONCENTRA		DAL		ANT ADD				TIRIDOIL AIVI
										+
										1
	1	1	•	1					ī	1

NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2003 format.



Page 2 of 7

CND-N-069

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards N			MSDS Revision: 2.1 MSDS Revision Date: 0			01/1	5/2004	
		3. HA	ZARD IDEN	ITIFICATION				
3.1	Hazard Identification	on:						
3.2	Routes of Entry:	Inhalation	YES	Absorption:	YES	Ingestion:	YES	
3.3	Effects of Exposure							
	INGESTION:	If product is swallowed, may caus depression.	e nausea, hed	adache, vomiting a	nd/or diarrhe	a and central 1	nervous	system
	SKIN & EYES:	Irritating to the eyes. Symptoms of irritating to skin in some sensitive indiv					ering. N	Nay be
	INHALATION: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors in excess of the levels listed in Section 2 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).							
3.4	Symptoms of Over	·						
		skin overexposure in some sensitiv in eyes may cause redness, itching a		may include rednes	is, itching, ar	nd irritation of (affected	areas.
3.5	Acute Health Effec							
		ate irritation to eyes and skin near affe	cted areas.					
3.6	Chronic Health Effe	ects:						
3.7	None known. Target Organs:							
3.7	Eyes and skin.							
	2,00 0110 01111							
		4 . F	IRST AID N	MEASURES				
4.1	First Aid:							
	INGESTION:	If ingested, do not induce vomiting. patient is vomiting, continue to offer v Mountain Poison Control Center at 3 Provide an estimate of the time at swallowed.	vater or milk. N 03-623-5716 or	lever give water or m the nearest Poison	nilk to an unco Control Cente	nscious person. er or local emer	Contact gency n	Rocky umber.
	EYES:	Splashes are not likely; however, if pr 15 minutes. If irritation occurs, contact		ne eyes, flush with co	pious amoun	s of lukewarm w	ater for a	at least
	SKIN:	If irritation occurs and product is on the effected area with soap and water						
	INHALATION:	Remove victim to fresh air.						
4.2	Medical Condition	s Aggravated by Exposure:			HEALTH			1
	None known.				FLAMMA	RILITY		1
					REACTIV			0
							AFNIT	
				ļ	PROTECT	IVE EQUIPA	VENI	Α
					EYES			



Page 3 of 7

CND-N-069

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 01/15/2004

5. FIREFIGHTING MEASURES

1 Flashpoint & Method:

> 71°C (160°F) TCC

5.2 Autoignition Temperature:

NA

5.3 Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND

5.4 Fire & Explosion Hazards:

NA

5.5 Extinguishing Methods:

CO₂, Halon, Dry Chemical, Foam

5.6 Firefighting Procedures

This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides.

First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product.



6. ACCIDENTAL RELEASE MEASURES

6.1 Spill

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

7.2 Storage & Handling

Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care.

Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate.

7.3 Special Precautions:

Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.



Page 4 of 7

CND-N-069

rep	pared to OSHA, ACC, ANSI, WHN	MIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 01/15/200
	8.	EXPOSURE CONTROLS & PERSONAL PROTECTION
.1	Ventilation & Engineering Controls:	
		intities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that a basin is available in case of exposure to eyes.
.2	Respiratory Protection:	
	protection authorized per U.	ction is required under typical circumstances of use or handling. If necessary, use only respirator S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriat inces, E.C. member states, or Australia.
.3	Eye Protection:	· · · · · · · · · · · · · · · · · · ·
	Depending on the use of this Canadian standards, or the Eu	s product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.13: propean Standard EN166.
.4	Hand Protection:	·
		& repeated skin contact will occur during use of this product, wear latex or rubber gloves for routin fer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, or the E.C. member states.
.5	Body Protection:	
	No special body protection is	required under typical circumstances of use and handling. If necessary, refer to appropriate standard
	of Canada, the E.C. member :	states, or U.S. OSHA.
		9. PHYSICAL & CHEMICAL PROPERTIES
1	Density:	NE
2	Boiling Point:	NE
3	Melting Point:	NE
4	Evaporation Rate:	NE
5	Vapor Pressure:	NE
6	Molecular Weight:	NE
.7	Appearance & Color:	Opaque blue viscous liquid.
.8	Odor Threshold:	Slight ester odor.
.9	Solubility:	Slightly soluble in water.
.10	рН	ND
.11	Viscosity:	Low viscosity gel
.12	Other Information:	Vapor density > 1.0
		10. STABILITY & REACTIVITY
0 1	CA - In 1994 .	
0.1	Stability:	Stable under ambient conditions when stored properly (see Section 7, Storage and Handling).
0.2	Hazardous Decomposition Products:	If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO ₂).
	Hazardous Polymerization:	May occur, if exposed to extremely high temperatures.
0.3	-	
0.3	Conditions to Avoid:	None known.



Page 5 of 7

CND-N-069

Prep	pared to OSHA, ACC, ANSI,	WHMIS & 2001/58 EC Standards	MSDS Revision: 2.1	MSDS Revision Date: 01/15/200
		11. TOXICOLOGI	CAL INFORMATION	
11.1	Toxicity Data:			ology data. There are toxicology data for iterature. These data have not bee
11.2	Acute Toxicity:	See Section 3.5		
11.3	Chronic Toxicity:	See Section 3.6		
1.4	Suspected Carcinogen:	NA		
1.5	Reproductive Toxicity:	This product is not reported to car	use reproductive toxicity in hu	imans.
	Mutagenicity:	This product is not reported to pro	duce mutagenic effects in hu	mans.
	Embryotoxicity:	This product is not reported to pro	duce embryotoxic effects in I	humans.
	Teratogenicity:	This product is not reported to car	use teratogenic effects in hum	nans.
	Reproductive Toxicity:	This product is not reported to car		
11.6	Irritancy of Product:	See Section 3.3	<u> </u>	
11.7	Biological Exposure Indices:	NE		
11.8	Physician Recommendations:	Treat symptomatically.		
		12. ECOLOGIC	AL INFORMATION	
2.1	Environmental Stability:	There are no specific data availa		
12.2	Effects on Plants & Animals:	There are no specific data availa		
12.3	Effects on Aquatic Life:		able for this product; howeve	r, very large releases of this product ma
		•	CONSIDERATIONS	
13.1	Waste Disposal:			
	•	n accordance with appropriate feder	al, state, and local regulations	š.
13.2	Special Considerations: NA			
		14. TRANSPORTA	TION INFORMATION	
				is shown for each mode of transportatio
<u>Ado</u> 14.1	Itional descriptive informat 49 CFR (GND):	ion may be required by 49 CFR, IATA/	ICAO, IIVIDG and the CIDGR.	
14.1	NOT REGULATED			
14.2	IATA (AIR):			
_	NOT REGULATED			
4.3	IMDG (OCN):			
	NOT REGULATED			
14.4	TDGR (Canadian GND):			
14.4	NOT REGULATED			
14.4				
14.5	ADR/RID (EU): NOT REGULATED			



http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 6 of 7

CND-N-069

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 01/15/2004 15. REGULATORY INFORMATION SARA Reporting Requirements: 15.2 SARA Threshold Planning Quantity: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory as appropriate. 15.4 CERCLA Reportable Quantity (RQ): NA 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: No components of this mixture are listed in the California Proposition 65 Lists. 67/548/EEC (European Union) Requirements: 15.8 The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC: 16. OTHER INFORMATION 16.1 Other Information Warning: Precisely follow directions and MSDS (available through your supplier) for use. Avoid all skin contact. If redness or other signs of adverse reactions occur, discontinue use immediately. Avoid eye contact. Keep out of reach of children. Keep out of sunlight. FOR PREOFESSIONAL USE ONLY. 16.2 Terms & Definitions: See page 7 of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: Creative Nail Design, Inc. 1125 Joshua Way Vista, CA 92081 USA CREATIVE 800-833-NAIL (6245) phone 760-599-4005 fax NAIL DESIGN http://www.creativenaildesign.com/ 16.5 Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 USA 310-360-3700 phone Dangerous Goods 310-360-5700 fax Training & Consulting



Page 7 of 7

CND-N-069

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.1

MSDS Revision Date:

01/15/2004

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
0,10,110,	Chemical restrict realizer

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV Threshold Limit Value	
OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit	
IDLH Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide
	oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion	
Temperature	in air with no other source of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by	
	volume, that will explode or ignite in the presence of	
	an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of	
	by volume, that will explode or ignite in the presence of	
	an ignition source	

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-₩ -	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or
TC, TC _o , LC _{io} , & LC _o	toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					

EC INFORMATION:

1-4		M	*			X	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful