

Page 1 of 7

CND-N-114

ттер	ared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 09/15/2004
	1. PRODUCT IDENTIFICATION
1.1	Product Name:
	RAW EARTH - FOOT MASK
1.2	Chemical Name:
	CLAY MIXTURE
1.3	Synonyms:
	NA NA
1.4	Trade Names:
	NA NA
1.5	Product Use:
	COSMETIC USE ONLY
1.6	Manufacturer's Name:
	CREATIVE NAIL DESIGN, INC.
1.7	Manufacturer's Address:
	1125 JOSHUA WAY, VISTA, CA USA 92081
1.8	Emergency Phone:
	ROCKY MOUNTAIN POISON CONTROL CENTER: 303-623-5716
1.9	Business Phone:
	800-833-NAIL (6245), 760-599-2900
	2. COMPOSITION & INGREDIENT INFORMATION

EXPOSURE LIMITS IN AIR (mg/m³)

					AC	GIH		OSHA		OTHER
					TLV	STEL	PEL	STEL	IDLH	
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	ppm	ppm	ppm	ppm	ppm	
WATER	7732-18-5	ZC0110000	231-791-2	≤ 60.0	NE	NE	NE	NE	NE	
BENTONITE	1302-78-9	CT9450000	215-108-5	≤ 20.0	(10)	NE	(15)	NE	NE	(5) as dust
SOYBEAN OIL	8001-22-7	WG4862000	231-791-2	≤ 10.0	NE	NE	NE	NE	NE	
UREA	57-13-6	YR6250000	200-315-5	≤ 5.0	NE	NE	NE	NE	NE	
GLYCERIN	56-81-5	MA8050000	231-211-8	≤ 5.0	(10)	NE	(5)	NE	NE	
SUCROSE COCOATE	91031-88-8	NA	292-993-4	≤ 5.0	NE	NE	NE	NE	NE	
SODIUM LITHIUM MAGNESIUM SILICATE	53320-86-8	NA	258-476-2	≤ 2.0	NE	NE	NE	NE	NE	
FRAGRANCE (PARFUM)	NA	NA	NA	≤ 2.0	NE	NE	NE	NE	NE	
AMMONIUM LACTATE	515-98-0	UA2465530	208-214-8	≤ 1.0						
LACTIC ACID	50-21-5	OD2800000	200-018-0	≤ 1.0	NE	NE	NE	NE	NE	
METHYLPARABEN	99-76-3	DH2450000	NA	< 1.0	NE	NE	NE	NE	NE	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	< 1.0	NE	NE	NE	NE	NE	
BUTYLPARABEN	94-26-8	DH1980000	202-318-7	< 1.0	NE	NE	NE	NE	NE	
PROPYLPARABEN	94-13-3	DH2800000	202-307-7	< 1.0	NE	NE	NE	NE	NE	
OTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION			BAL	THE REMAINING COMPONENTS DO NOT CONTRIBUTE ANY SIGNIFICANT ADDITIONAL HAZARDS				TRIBUTE ANY		
		1			<u> </u>	<u> </u>				l

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2003 format.



Page 2 of 7

CND-N-114

Prep	ared to OSHA,	ACC, ANSI, WHMIS & 2001/	58 EC Standards	М	SDS Revision: 1.1	MSDS	Revision Date: 09/15/2	2004
			3. HAZARD	IDENITIE	ICATION			
3.1	Hazard Identificati	ion:	J. HAZAKD	IDENIII	ICATION			
	NA							
3.2	Routes of Entry:		Inhalation:	NO	Absorption:	NO	Ingestion:	YES
3.3	Effects of Exposure				d / a.v. di avvub a av			
	INGESTION: SKIN & EYES:	If product is swallowed, m Mildly to moderately irrite	•	•	-	ome sensitiv	e individuals especia	ally after
	okiit a E1Eo.	prolonged contact.	dillig to life cycs.	may be in	numing to skin in .	JOINE SCHOMY	c marriadais, especie	any unci
	INHALATION:	Inhalation is unlikely; how moderately irritating to so			ut and becomes	a dust, the d	ust from this product	may be
3.4	Symptoms of Over	rexposure: overexposure may include	redness, itching, irrit	ation and v	vatering (if in eyes).		
3.5		cts: ing, irritation (and watering nents following ingestion.	if in eyes) or skin at	the site of	contact for some	sensitive indi	viduals. May cause e	xcessive
3.6	Chronic Health Effects: No chronic health effects are known.							
3.7	Target Organs: Eyes, skin and	d respiratory system.						
			4 FIDST 4	ID 4454	CUREC			
	T		4. FIRST A	ID MEA	SURES			
4.1	First Aid: INGESTION:	If ingested, do not induce offer plenty of water or m Control at 303-623-5716 o time and amount of the su	nilk. Never give wat or the nearest Poison	ter or milk Control Ce	to an unconsciou	s person. Co	ontact Rocky Mountai	n Poison
	EYES & SKIN: If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If irritation persists, consult a physician. If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. Do not wear contaminated clothing until after it has been properly cleaned. If irritation persists, consult a physician.							
4.2		Remove victim to fresh air ns Aggravated by Exposure:	at once.					_
4.2	None known.	в лудівлатей ру Ехрозиге.				HEALTH		1
						FLAMMA	BILITY	0
						REACTIVI [®]	TY	0
						PROTECTI	VE EQUIPMENT	



Page 3 of 7

CND-N-114

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 09/15/2004 5. FIREFIGHTING MEASURES Flashpoint & Method: Non-flammable 5.2 Autoignition Temperature: NΑ Flammability Limits 5.3 Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA 5.4 Fire & Explosion Hazards: This product must be substantially pre-heated before ignition can occur. 5.5 Extinguishing Methods: Water, Foam, CO₂, Dry Chemical 5.6 Firefighting Procedures Wear protective clothing and NIOSH-approved self-contained breathing apparatus if needed. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Transfer material to containers for recovery or disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Follow normal hygiene practices. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. 7.3 Special Precautions Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: 8.1 General mechanical (e.g., local exhaust ventilation, fans) or natural ventilation is sufficient when this product is in use. 8 2 Respiratory Protection: Mechanical exhaust may be required in confined areas. None required if used in a well-ventilated area. 8.3 Avoid eye contact. Eye contact may cause irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), safety glasses with side shields should be used. None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves. 8.5 No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.



Page 4 of 7

CND-N-114

Prep	pared to OSHA, ACC, ANSI, WHI	AIS & 2001/58 EC Standards	MSDS Revision: 1.1	MSDS Revision Date: 09/15/2004
		O BUYCICAL O CU	FAMOAL BRODERIES	
	I	9. PHYSICAL & CH	EMICAL PROPERTIES	
9.1	Density:	ND		
9.2	Boiling Point:	ND		
9.3	Melting Point:	ND		
9.4	Evaporation Rate:	ND		
9.5	Vapor Pressure:	ND		
9.6	Molecular Weight:	ND		
9.7	Appearance & Color:	Brown (clay colored) paste		
9.8	Odor Threshold:	ND		
9.9	Solubility:	Fully soluble		
9.10	рН	7.6		
9.11	Viscosity:	NE NE		
9.12	Other Information:	NA NA		
		NA .		
		10. STABILITY	& REACTIVITY	
10.1	Stability:	Stable under ambient condition		
10.2	Hazardous Decomposition Products:	NA		
10.3	Hazardous Polymerization:	Will not occur.		
10.4	Conditions to Avoid:		mo tomporaturos sparks flar	nos or incompatible materials
10.5	Incompatible Substances:	Exposure or contact with extreme temperatures, sparks, flames or incompatible materials. Strong oxidizers.		
10.0	eepauble sabstaness.	Silong Oxidizers.		
		11 TOXICOLOGI	CAL INFORMATION	
11.1	Toxicity Data:	111 101110010		ological data. There are toxicology dat
				scientific literature. These data have no
		been presented in this docume		
11.2	Acute Toxicity:	See Section 3.5		
11.3	Chronic Toxicity:	See Section 3.6		
11.4	Suspected Carcinogen:	No		
11.5	Reproductive Toxicity:	This product is not reported to	produce reproductive toxicity	in humans.
	Mutagenicity:	This product is not reported to		
	Embryotoxicity:	This product is not reported to	produce embryotoxic effects	in humans.
	Teratogenicity:	This product is not reported to		
	Reproductive Toxicity:	This product is not reported to	produce reproductive effects	in humans.
11.6	Irritancy of Product:	See Section 3.3		
	Biological Exposure Indices:	NE		
11.7		sysician Recommendations: Treat symptomatically.		



Page 5 of 7

CND-N-114

Prep	ared to OSHA, ACC, ANSI, WI	HMIS & 2001/58 EC Standards	MSDS Revision: 1.1	MSDS Re	vision Date: 09/15/2004
		12. ECOLOGICA	AL INFORMATION		
12.1	Environmental Stability:	This product will slowly volatilize organic compounds.	ze from soil. Components of t	his product	will slowly decompose into
12.2	Effects on Plants & Animals:	There is no specific data availa	ble for this product.		
12.3	Effects on Aquatic Life:	Releases of large volumes may for components of this product	be harmful or fatal to overexp		
		13. DISPOSAL C	ONSIDERATIONS		
13.1	Waste Disposal: Dispose in accordance with	Federal, state, and local regulation	s.		
13.2	Special Considerations: NA				
		14. TRANSPORTAT	ION INFORMATION		
		ping name, hazard class & division, may be required by 49 CFR, IATA/IO		shown for ea	ach mode of transportation.
14.1	49 CFR (GND): NOT REGULATED				
14.2	IATA (AIR):				
14.3	NOT REGULATED IMDG (OCN):				
14.4	NOT REGULATED TDGR (Canadian GND):				
17.7	NOT REGULATED				
14.5	ADR/RID (EU): NOT REGULATED				
		15 05011 4100	V INICODA ATION		
		15. REGULATOR	Y INFORMATION		
15.1	SARA Reporting Requirements: NA				
15.2	SARA Threshold Planning Quantity:				
15.3	TSCA Inventory Status:				
	All components of this product are listed in the TSCA Inventory.				
15.4	CERCLA Reportable Quantity (RQ): There are no Reportable Quantities for any of the components of this product.				
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).				
15.6	Other Canadian Regulations:	ne appropriate sections of the Food	and Drug Administration's 21 C	rk subchap	iei G (Cosmeiics).
10.0	This product has been classi the information required by of the components of this pr	fied according to the hazard criterion the CPR. The components of this product are listed on the Priorities Sub-	roduct are listed on the DSL/NI		
15.7	State Regulatory Information:	es to links of its line Configuration Processing	/ F 1 lake		
15.8	No component of this mixture 67/548/EEC (European Union) Require	re is listed in the California Propositio	on 65 Lists.	I	
13.0		his product is not listed in Annex I of	EU Directive 67/548/EEC.		



310-370-3600 phone 310-370-5700 fax

http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 6 of 7

CND-N-114

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 09/15/2004 16. OTHER INFORMATION Other Information: Use only as directed. Avoid eye contact. If contact occurs, flush eye thoroughly with running water for at least 15 minutes. Seek medical attention. Keep out of reach of children. Discontinue use immediately if irritation develops. If warming small amounts, use caution to avoid burns. 16.2 Terms & Definitions: See page 7 of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: 16.4 Creative Nail Design, Inc. 1125 Joshua Way Vista, CA 92081 CREATIVE 800-833-NAIL (6245) phone 760-599-4005 fax NAIL DESIGN http://www.creativenaildesign.com/ 16.5 Prepared by: ShipMate, Inc. 18436 Hawthorne Blvd, Suite 201 Torrance, CA 90504

Training & Consulting



Page 7 of 7

CND-N-114

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.1

MSDS Revision Date: 09/15/2004

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienist		
TLV	TLV Threshold Limit Value		
OSHA	OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit			
IDLH Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person			
	whose heart has stopped receives manual chest			
	compressions and breathing to circulate blood and provide			
	oxygen to the body			


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion
Temperature	in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by
	volume, that will explode or ignite in the presence of
	an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air,
	by volume, that will explode or ignite in the presence of
	an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-W -	Use No Water
ОХ	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD _{lo}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{Io} , LD _{Io} , & LD _o or TC, TC _o , LC _{Io} , & LC _o	Lowest dose (or concentration) to cause lethal or toxic effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
CPR	Canadian Controlled Product Regulations				

EC INFORMATION:

		*	*		×	×	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful