

## **MATERIAL SAFETY DATA SHEET**

#### Section 1. Product and Company Identification

Product Name: IBD Gelac DATE: 10-06-10

(Snowfall, Pink Wink, Rosy Future, Haute Pink, Fiery Coral, Drop REV. 01 Red Gorgeous, Hearthrob, Red Velvet, Sweet Sangria, Puple Reign,

Black Licorice, Rich Raisin, Totally Teal, Silver Splendor, Pink Kiss,

Pink Icing, Mystic Bronze, Perfect Poppy)

Formula: 30-1972, 30-1974, 30-1975, 30-7979, 30-1982, 30-1984,

30-1985, 30-1986, 30-1987, 30-1989, 30-1992, 30-1993, 30-

1061, 30-1062, 30-1063, 30-1064, 30-1065, 30-1066

Item#: 56356, 56357, 56362, 56364, 56363, 81019, 81016, 56360,

56367, 81014, 81012, 81011, 56391, 56395, 56396, 56397,

56399, 56400

Manufacturer: American International Industries

2220 Gaspar Ave

Los Angeles, CA 90040

Dutyl Apototo

Chem-Tel: (800) 255-3924

#### Section 2. Composition / Information on Ingredients

# | Component | CAS # | Exposure Limits ppm | ACGIH-TWA / OSHA-PEL | | Ethyl Acetate | 141-78-6 | 20 - 30 | ACGIH-TWA: 400ppm |

Butyl Acetate	123-86-4	20 - 30	OSHA-PEL: 150ppm
Di-Hema Trimethylhexyl Dicarbamate	41137-60-4	15 - 20	None Established
Isobornyl Acrylate	5888-33-5	10 - 15	None Established
Nitrocellulose Isopropyl Alcohol	9004-70-0 67-63-0	5 - 10 1 - 5	ACGIH-TWA: 400ppm ACGIH-TWA: 400ppm
Hydroxycycloboxyl Phonyl Kotono	047 10 2	1 5	None Established

100 06 4

Hydroxycyclohexyl Phenyl Ketone 947-19-3 1 - 5 None Established

Trimethyl Pentanyl Diisobutyrate 6846-50-0 1 - 5 None Established Ethyl Tosylamide 80-39-7 0.5 - 1.5 None Established

Stearalkonium Bentonite None Established 130501-87-0 0.5 - 1Stearalkonium Hectorite 12691-60-0 0.5 - 1None Established Kaolin 1302-78-9 <1 None Established Benzophenone-1 None Established 119-61-9 <1

May Contain:


Polyethylene Terephthalate 25038-59-9 1 - 5
Mica 12001-26-2 1 - 2

None Established Bismuth Oxychloride (CI 77163) 7787-59-9 <1 None Established 12240-15-2 Ferric Ammonium Ferrocyanide <1 None Established Iron Oxides (CI 77499) 1309-37-1 <1 None Established Iron Oxides (CI 77491) 1309-37-1 None Established <1

None Established

OSHA-PEL: 400ppm





## MATERIAL SAFETY DATA SHEET

Red 6 (CI 15850)	5858-81-1	<1	None Established
Red 7 (CI 15850)	5858-81-1	<1	None Established
Red 34 (CI 15880)	6417-83-0	<1	None Established
Titanium Dioxide (CI 77891)	13463-67-7	<1	None Established
Yellow 5 (Cl 19140)	81-48-1	<1	None Established
Aluminum Powder (CI 77000)	7429-90-5	<1	

#### Section 3. Hazardous Identification

#### Potential Health Effects, Signs and Symptoms of Exposure:

Eye: May cause irritation or burning eyes.

Skin: Repeated or prolonged liquid contact may cause skin irritation with discomfort or dermatitis.

Ingestion: Gastro intestinal distress, call a physician.

Inhalation: May cause nose and throat irritation.

#### Section 4. First Aid Measures

First Aid for Eye: Immediately flush with water for 15 minutes, including under eyelids. Seek medical attention if

discomfort persists.

First Aid for Skin: Wash off affected areas with plenty of soap and water. If discomfort or irritation persists contact a

physician.

First Aid for Inhalation: Remove to fresh air. Seek medical attention if discomfort persists.

First Aid for Ingestion: Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give anything

by mouth to an unconscious person. Seek prompt medical attention.

#### **Section 5. Fire Fighting Measures**

Flash Point ( $^{\circ}F/^{\circ}C$ ): 40 $^{\circ}F$  (4.44 $^{\circ}C$ )TCC

Flammable Limit LEL: 1.7% (vol%): UEL: 12.0%

Auto-ignition Temp.

(vol%)

None Established


Extinguisher Media: Foam, dry chemical or carbon dioxide.

Fire Fighting Full protective equipment, including self contained breathing apparatus is recommended. Water

Procedures: from fog nozzle may be used to cool containers to prevent pressure build up.

Unusual Fire and When heated above the flash point flammable vapors may be emitted. Fine mists or sprays may

Explosion Hazards: be flammable at temperatures below the flash point.



## MATERIAL SAFETY DATA SHEET

#### Section 6. Accidental Release Measures

Spill or Release Procedures: Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii.

Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

#### Section 7. Handling and Storage

Handling & Storing: In accordance with good industrial practice avoid unnecessary personal contact. Wash face and

hands before eating, drinking, or smoking. Store in original container, away from excessive heat

and keep in a dry are.

#### Section 8. Exposure Controls / Personal Protective Equipment

#### For Manufacturing Use Only:

Ventilation: Use local Exhaust.

Protective Gloves: Neoprene gloves.

Eye Protection: Include splash guards and side shields.

Respiratory Protection: Use with adequate Ventilation and avoid breathing vapors.

Clothing: Coveralls.

Other Protective Eye bath and shower.

#### Section 9. Physical and Chemical Properties


Appearance @ 25°C: Colored viscous liquid Viscosity (RAT): Not applicable

Odor @ 25°C:Sweet Ester OdorVapor Pressure:Not AvailablepHNot applicableVapor Density:Not Available

Viscosity: ~565 Evaporation Rate: Slower than ether

**Ignition:** Not applicable **Melting Point:** Not applicable






# **MATERIAL SAFETY DATA SHEET**

**Boiling Range:** 

Not available



## **MATERIAL SAFETY DATA SHEET**

Solubility in Water

Insoluble

## Section 10. Stability and Reactivity

Stability: Stable

**Hazardous Decomposition Products:** 

CO, CO2, Nitrous Oxides, Smoke

Incompatibility (Materials to Avoid):

Acids, Alkalies and Peroxides.

**Hazardous Polymerization:** 

Will not occur

Conditions to Avoid: Do not store over 120°F

#### Section 11. Toxicological Information

Results of component toxicity test performed:

No data

Human experience:

No data

## Section 12. Ecological Information

Ecological Information:

No data


Chemical Fate Information:

No data

#### Section 13. Disposable Considerations

RCRA 40 CFR 261 Classification:

Federal, State and local laws governing disposal of materials can differ. Ensure proper disposal compliance with proper authorities before disposal. Do not incinerate in closed containers



# **MATERIAL SAFETY DATA SHEET**

## Section 14. Transportation Information

<DOT Information>

Proper Shipping Name: Paint

DOT Hazard Class: 3, Flammable Liquid

Packaging Group:

UN ID Number UN 1263

#### Section 15. Regulatory Information

Additional regulatory information available upon request.

## Section 16. Other Information

No additional information available.