

Page 1 of 5

# SECTION I: SUBSTANCE IDENTIFICATION AND COMPANY INFORMATION

MANUFACTURER'S NAME: ENTITY BEAUTY INC.

USA/CANADA EMERGENCY TELEPHONE: 1.800.535.5053
INTERNATIONAL EMERGENCY TELEPHONE: 1.352.323.3500

INFORMATION CONTACT: INFOTRAC

ADDRESS: 4700 MILLENNIA BLVD., SUITE 150

**PRODUCT TYPE:** POLYMER CLEAR

ORLANDO, FL 32839 USA

**PRODUCT CODE:** 4022226 / 4022230

FAMILY: ACRYLIC POLYMER

TRADE NAME: CLEAR NAIL SCULPTING POWDER

ENTITY'S FORMULA NUMBER: CONFIDENTIAL

PRODUCT USE: NAIL POLYMER ISSUED: JULY 28, 2005 REVISION 1

#### **SECTION II: COMPOSITION AND INGREDIENT INFORMATION**

Hazard Symbols: Xi Risk Phrases: R36/37/38 Safety Phrases: S18, S22, S24/25, S38

<u>CAS Numbers</u> <u>EINECS #</u> <u>U.S. INCI</u> <u>EU INCI</u>

9003-42-3 N/E Polyethylmethacrylate Polyethylmethacrylate 9011-14-7 N/E Polymethyl Methacrylate Polymethyl Methacrylate 94-36-0 202-327-6 Benzoyl Peroxide Benzoyl Peroxide

N/E - None Established

This product is not considered hazardous by OSHA Hazard Communication Standard.

<b>Chemical Identity</b>	Exposure OSHA TWA/STEL	<u>Limits</u> ACGIH TWA/STEL	<u>Carcinogen</u> IARC/NTP/OSHA	<u>%</u>
Poly (ethyl methacrylate)	N/E	N/E	Not Listed	65-99
Poly (methyl methacrylate)	N/E	N/E	Group 3/no/no	0-35
Dibenzoyl Peroxide	5 mg/m3	5 mg/m3	3/no/no	0-1

N/E - None Established

## **SECTION III: HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- May cause allergic skin reaction.
- May cause eye irritation.
- Dust may cause irritation of the nose, throat, and lungs.
- This product may contain particulate, not otherwise classified (Nuisance Dust)

## **Potential Health Effects, Signs and Symptoms of Exposure:**

Primary Route of Entry: Eyes or skin (No absorption); inhalation of dust.

Eye: Higher concentration can irritate eyes. May cause eye irritation or damage.

Skin: Repeated or prolonged exposure may cause allergic skin rashes.

Ingestion: Higher concentration can irritate respiratory system.

Inhalation: Possible temporary discomfort due to inhalation of dust concentration above the permissible exposure

limit. Dust may cause irritation of the nose, throat, and lungs.



Page 2 of 5

Sub-Chronic Effects: For Polymer: OSHA classifies this material as Particulates, Not Otherwise Classified. Eyes, skin and

> Respiratory tract may be irritated by gross overexposure to Particulates, Not Otherwise Classified, no matter how they are generated. Avoid inhalation of dust. Keep dust out of eyes to prevent possible

irritation.

For decomposition product: Methyl Methacrylate Monomer; Liquid or high vapor concentration can irritate eyes, respiratory system and cause skin rashes. Prolonged exposure can lead to headaches, nausea, staggering gait, confusion, drowsiness and unconsciousness. Repeated and prolonged over exposure may cause permanent brain and nervous system damage, allergic skin rashes, eye corrosion

and permanent injury, as well as changes in liver and kidney function or damage. For Benzoyl Peroxide: repeated or prolonged contact may cause skin sensitization.

NOTE: Refer to Section 11, Toxicological Information for Details

# **SECTION IV: FIRST AID MEASURES**

First Aid for Eye: Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.

First Aid for Skin: Wash with soap and water. Get medical help if discomfort persists.

First Aid for Inhalation: Remove to fresh air. Get medical help if discomfort persists. First Aid for Ingestion: Rinse mouth out with water. Call doctor if amount was large.

## SECTION V: FIRE FIGHTING METHODS

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
TAG Closed: 580°F/304°C	N/A	N/E

**Method:** 

Extinguishing Media: Water, carbon dioxide, dry chemical.

Avoid extinguishing methods that generate dust clouds. Water streams can disperse dust into Fire Fighting Instructions:

air, producing a fire hazard and possible explosion hazard. Fire-fighters should wear self-

contained breathing apparatus.

Unusual Hazards: Polymer dust is combustible, explosive limits of the polymer particles suspended in air are

approximately those of coal dust.

## SECTION VI: ACCIDENTAL RELEASE MEASURES

Spill or Release Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning

Procedures: up spills.

## SECTION VII: HANDLING AND STORAGE

Handling: Observe precautions found on the label. Wash face and hands thoroughly with soap and water

after handling and before eating, drinking or smoking. Avoid prolonged or repeated contact

with skin. Avoid contamination. Use only with adequate ventilation.

Store in cool, dry place away from heat, sparks, flame and direct sunlight. Close container Storage:

after each use. Ground all metal conrainers when transferring. Use explosion-proof equipment

Store away from combustibles and incompatible materials.

Polymer dust is combustible, explosive limits of the polymer particles suspended in air are **Explosion Hazard:** 

approximately those of coal dust.



Page 3 of 5

# SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTIVE EQUIPMENT

Engineering Controls: Use good local exhaust at processing equipment, including buffers, sanders, grinders and

polishers. High temperature processing equipment should be well ventilated. Use explosion-proof equipment. Provide ventilation if necessary to control exposure levels below airborne

exposure limits.

**Personal Protective Equipment** 

General	Dust collectors are recommended for handling powder in bulk.
Eye/ Face Protection	Use safety glasses and have eye flushing equipment immediately available.
Skin Protection	Minimize contamination by following good industrial practice. Wearing nitrile, neoprene, pvc,
	latex ot other impermeable gloves is recommended.
Respiratory Protection	Avoid breathing dust and mist. Use dust mask.

# SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Appear	rance	Odor & Odor Threshold	PН	Specif	ic Gravity	Viscosity	% Volatile
Fine, white p	owder	Faint odor in bulk.	N/A		N/A	N/A	N/A
Boiling Point/ Freezing Point	Decomposition	Octanol/Water Partitioning Coefficient (Log Po/w)	Vapor Pressure	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	N/A	N/A	N/A	N/A	insoluble
Flash Point (°F/°C) TAG Closed: 580°F/304°C Flammable Limit (vol%) N/A Auto-ignition Temperature (vol%) N/E							

## **SECTION X: STABILITY AND REACTIVITY**

Stability: Stable Incompatibility (Materials to Avoid): Strong oxidizing

Hazardous Decomposition Products: methacrylate monomers ag

Conditions to Avoid: Heating above 240 deg C , 464 deg F

Hazardous Polymerization: will not occur

## SECTION XI: TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation - Eye
LD50 Oral (Rat):	LD50 Dermal (Rabbit):	LC50 Inhalation (Rat): >12,500	mild	mild
7990mg/kg	35,500 mg/kg	to 16,500 ppm for 0.5 hours		
Since this product contains a very low concentration of active components, the primary toxicological information is derived from the				

copolymers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-chronic Toxicity
No information available	No information available	No information available

## **SECTION XII: ECOLOGICAL INFORMATION**

**Ecotoxicological Information** 

Acute Toxicity to Fish	Acute Toxicity toInvertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
Flathead Minnows/GoldfishTLm24:	N/DA	N/DA	N/DA	N/DA

#### **Chemical Fate Information**

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.



Page 4 of 5

# **SECTION XIII: DISPOSABLE CONSIDERATION**

May be disposed of in a landfill or incinerated. Follow Federal, State and Local regulations for disposal. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

# SECTION XIV: TRANSPORTATION INFORMATION

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	
Other Information:	Flash point > 100°C

# **SECTION XV: REGULATORY INFORMATION**

**US Federal Regulations** 

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP's) or ozone dipleting substances (ODS's), as defined by the U. S. Clean Air Act: NONE
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U.S. Clean Water Act Priority Pollutant List: NONE
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is not considered a hazardous chemical under the OSHA Hazard Communication Standard.
RCRA	This product contains no chemicals considered to be hazardous waste under RCRA (40 CFR 261).
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Sec. 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product does not contain hazardous substances under the OSHA Hazard Communication Standard, and is not regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals outlined in SARA Title III: Section 313:  • Benzoyl Peroxide CAS #94-36-0.
TSCA Section 8(b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals listed have a SNUR under TSCA.

**State Regulations** 

CA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
California No Significant Risk Rule:	NONE



Page 5 of 5


MA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
NJ Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
PA Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
FL Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0
MN Right-to-Know Law:	Benzoyl Peroxide CAS #94-36-0

**International Regulations** 

CDSL: Canadian Inventory (on Canadian Transitional List)	Polymethyl methacrylate CAS# 9011-14-7 is on the DSL List. WHMIS = n/da Polyethylmethacrylate CAS# 9003-42-3 is on the DSL List. WHMIS = n/da Benzoyl Peroxide CAS #94-36-0 is on the DSL list. WHMIS = C, D2B, B4
EINECS: European Inventory:	<ul> <li>Polymer Clear:</li> <li>HAZARD SYMBOLS: Xi: Irritant</li> <li>RISK PHRASES: R36/37/38: Irritating to eyes, respiratory system and skin</li> <li>SAFETY PHRASES: S18: Handle and open container with care, S22: do not breath dust, S24/25: avoid contact with skin and eyes, S38: in case of insufficient ventilation, wear suitable respiratory equipment.</li> </ul>

## **SECTION XVI: OTHER INFORMATION**

**Hazard Rating System (Pictograms)** 



OSHA PEL for nuisance dust: 15 mg/m<sup>3</sup> (total dust) 5 mg/m<sup>3</sup> (respire able dust) ACGIH PEL for nuisance dust: 10 mg/m<sup>3</sup>

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.