# MATERIAL SAFETY DATA SHEET

Page 1 of 7 MSDS-135

Pren	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 08/01/2008
1.00	
	1. PRODUCT IDENTIFICATION
1.1	Product Name:
1.1	AXXIUM SOFT WHITE SCULPTURE GEL
1.0	
1.2	
1.3	Synonyms:
	NA
1.4	Trade Names:
	NA
1.5	Product Use:
	PROFESSIONAL USE ONLY
1.6	
1.7	OPI PRODUCTS, INC. Manufacturer's Address:
1.7	13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA
1.8	Emergency Phone:
	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300
1.9	Business Phone:
	+1 (818) 759-2400 / +1 (800) 341-9999
	2. HAZARD IDENTIFICATION
2.1	Hazard Identification:
	This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC:1088 (2004) and ADG Code (Australia).
2.2	Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES
2.3	Effects of Exposure:
	INGESTION: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous system
	depression.
	SKIN & EYES: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact.
	INHALATION: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors in excess of
	the levels listed in Section 2 (Composition and Ingredient Information) can cause central nervous system depression
	(e.g., drowsiness, dizziness, headaches, nausea).
2.4	Symptoms of Overexposure:
	Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering.
2.5	Acute Health Effects:
	Mild to moderate irritation to eyes and skin near affected areas.
2.6	Chronic Health Effects:
2.7	None known.
2.7	Target Organs: Eyes, skin.
NIA	Not Available: ND Not Determined: NE Not Established: C Caling Limit. See Section 14 for Additional Definitions of Terms Used
	Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used
IUVI	E: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$ 

# **MATERIAL SAFETY DATA SHEET**

Page 2 of 7 MSDS-135

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS F

MSDS Revision: 2.0

MSDS Revision Date:

08/01/2008

			3. COM	POSITION	I & INGRE	DIENT	INFC	)RM/	<b>ATIO</b>	Ν					
									EXPOS	SURE LI	MITS IN	I AIR (r	mg/m³	5)	
							AC	GIH	I	NOHSC	:		OSHA		
							рр	m		ppm			ppm	1	OTHER
	CHEMICAL NA	AME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
	IRETHANE ACRY OMERS	LATE	NA	NA	NA	≤ 65.0	NA	NA	NF	NF	NF	NA	NA	NA	
	YLENE GLYCOL HACRYLATE		109-16-0	OZ4100000	203-652-6	≤ 30.0	NA	NA	NF	NF	NF	NA	NA	NA	
SILICA			112945-52-5	VV7310000	231-545-4	≤ 10.0	(6)	NE	NF	NF	NF	(6)	NE	NE	DUST
BENZC	YL ISOPROPAN	OL	7473-98-5	NA	231-272-0	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLYC	QUATERNIUM 37		26161-33-1	KQ6300000	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
PROPY	LENE GLYCOL	DICAPRYLATE	68583-51-7	ZC0110000	271-516-3	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
PPG-1	TRIDECETH 6		NA	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 778	91 (TITANIUM D		13463-67-7	XR2275000	236-675-5	≤ 1.0	(10)	NA	NF	NF	NF	(10)	NA	NA	
0.770				, (K22, 0000	200 070 0	21.0	(10)	110				(10)			
				4. FIF	RST AID M	EASUF	RES								
	INGESTION: EYES: SKIN: INHALATION:	patient is vor nearest Poiso ingested and Splashes are minutes. If irri If irritation occ effected area	o not induce niting, continu n Control Cen the amount of not likely; how tation occurs, curs and produ with soap and m to fresh air.	te to offer wa ter or local e the substanc rever, if produ contact a phy uct is on the sl	ter or milk. N mergency nu e that was swo ct gets in the ysician. kin, rinse thoro	Never giv mber. P allowed. eyes, flu oughly wi	ve wate rovide sh with ith luke	er or n an est copio warm	nilk to limate us am water,	an un of the ounts o follow	consci time o of luke ed by	ious po at whic warm <sup>v</sup> a thore	erson. ch the water ough w	Cont mater for at l	act the rial was least 15
4.2	Medical Condition							Н	EALT	Н				1	
	None known.								.AMI		ILITY			1	
								R	EAC	<b>TIVIT</b>	Y			1	
								Р	ROTE		/E EG		MEN	ΤA	
								E)	(ES			Ī			
									-						
				5. FIREF	IGHTING	MEAS	URES								
5.1	Flashpoint & Metho <b>ND</b>	od:													
5.2	Autoignition Tempe	erature:													
5.3	Flammability Limits:			Lower Explosiv	e Limit (LEL):		ND	Ur	per Ex	plosive	e Limit	(UEL):		ND	
5.4	Fire & Explosion Ha	zards:						1 -1	10 0	10.00.1		(==)			
	Exothermic p	olymerization	may cause of	containers to	rupture. Co	ool cont	ainers	with v	vater	to pre	vent				
	polymerization									-					
5.5	Extinguishing Meth													1	
	CO <sub>2</sub> , Halon, Dr		oam												
5.6	Firefighting Proced														>
	This product is to produce co		e liquid. When	involved in a	fire, this prod	uct may	ignite r	eadily	and d	ecom	pose		$\mathbf{\nabla}$		/
	First responde equipment. L extinguishing	lse a water sp	ray or fog to											$\checkmark$	

# **MATERIAL SAFETY DATA SHEET**

Page 3 of 7

**MSDS-135** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0

MSDS Revision Date: 08/01/2008

# 6. ACCIDENTAL RELEASE MEASURES

6.1	Spills:

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

	7. HANDLING & STORAGE INFORMATION
7.1	Work & Hygiene Practices:
	Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.
7.2	Storage & Handling:
	Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care.
	Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate.
7.3	Special Precautions:
	Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.
	8. EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	Ventilation & Engineering Controls:
	When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.
8.2	Respiratory Protection:
	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.
8.3	Eye Protection:
	Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166.
8.4	Hand Protection:
	If anticipated that prolonged & repeated skin contact will occur during use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the E.C. member states.
8.5	Body Protection:
	No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$ 

# **MATERIAL SAFETY DATA SHEET**

Page 4 of 7

**MSDS-135** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 08/01/2008

		9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Density:						
7.1	Boiling Point:	1.1036 > 212 °F					
.3	Melting Point:						
.4	Evaporation Rate:	NE NE					
9.5	Vapor Pressure:	NE					
.6	Molecular Weight:	NE					
0.7	Appearance & Color:	White viscous gel.					
	Odor Threshold:	Characteristic acrylate odor.					
.9	Solubility:						
.10	рН	N/A					
0.11	Viscosity:	300.000 cPs					
0.12	Other Information:	ND					
		10. STABILITY & REACTIVITY					
0.1	Stability: Stable under ambient con	iditions when stored properly (see Section 7, Storage and Handling).					
0.2	Hazardous Decomposition Product If exposed to extremely h gases (e.g., CO, CO <sub>2</sub> ).	ts: nigh temperatures, the products of thermal decomposition may include irritating vapors and carbon oxid					
0.3	Hazardous Polymerization: May occur, if exposed to	extremely high temperatures.					
0.4	Conditions to Avoid: None known.						
0.5							
		11. TOXICOLOGICAL INFORMATION					
1.1		en tested on animals to obtain toxicology data. There are toxicology data for the components of the in scientific literature. These data have not been presented in this document.					
11.2	Acute Toxicity: See Section 2.5	•					
1.3	Chronic Toxicity: See Section 2.6						
1.4	Suspected Carcinogen: NA						
1.5	Reproductive Toxicity: This product is not reported	d to cause reproductive toxicity in humans.					
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.						
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.						
	Teratogenicity: This product is not reported to cause teratogenic effects in humans.						
	Reproductive Toxicity:	d to cause reproductive effects in humans.					
1 /	Irritancy of Product:	· · · · ·					
1.0	See Section 2.3						
11.6	See Section 2.3 Biological Exposure Indices: NE						

C	)·P·I	MATERIAL SAFETY DATA SHEET	Page 5 of 7 <b>MSDS-135</b>
Prep	ared to OSHA, AC	C, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Re	vision Date: 08/01/2008
		12. ECOLOGICAL INFORMATION	
12.1	Environmental Stability:	cific data available for this product.	
12.2	Effects on Plants & Anir	•	
12.3	Effects on Aquatic Life:	ecific data available for this product; however, very large releases of this product r	nay be harmful or fatal to
		13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal:	ust be in accordance with appropriate federal, state, and local regulations.	
13.2	Special Considerations		
		14. TRANSPORTATION INFORMATION	
		proper shipping name, hazard class & division, ID Number, packing group) is shown for ea nformation may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	ach mode of transportation.
14.1	49 CFR (GND): NOT REGULATED		
14.2	iata (Air): Not regulated		
14.3	IMDG (OCN):		
14.4	NOT REGULATED TDGR (Canadian GND)		
14.5	NOT REGULATED ADR/RID (EU):		
	NOT REGULATED		
14.6	MEXICO (SCT): NOT REGULATED		
14.7	ADGR (AUS): NOT REGULATED		
15.1	SARA Reporting Require	15. REGULATORY INFORMATION	
15.1	NA	ententz:	
15.2	SARA Threshold Plannin There are no spec	g Quantity: cific Threshold Planning Quantities for the components of this product.	
15.3	TSCA Inventory Status:		
15.4	CERCLA Reportable Qu	of this product are listed on the TSCA Inventory as appropriate. Jantity (RQ):	
15.5	NA Other Federal Requirer	nents:	
15 (		plies with the appropriate sections of the Food and Drug Administration's 21 CFR subchap	ter G (Cosmetics).
15.6	the information re	auons: been classified according to the hazard criteria of the CPR and the MSDS contains all of equired by the CPR. The components of this product are listed on the DSL/NDSL. None ts of this product are listed on the Priorities Substances List.	$(\underline{I})$
15.7	State Regulatory Inform	nation:	
15.8	None of the ingre 67/548/EEC (European		
		ponent of this product is not listed in Annex I of EU Directive 67/548/EEC.	
	(Xi) Irritant R: 36/38- Irritating	to eyes and skin.	
	-	reach of children.	
		g do not eat or drink. al eye contact occurs, flush with water for at least 15 minutes and get prompt medical	

C	)·P·I	MAI	TERIAL SAFE	TY DATA S	HEET	Page 6 of 7 <b>MSDS-135</b>
Prep	ared to OSHA, ACC	, ANSI, NOHSC, WHMI	IS & 2001/58 EC Standards	MSDS Revision: 2.0	MSDS Revision Da	ite: 08/01/2008
			16. OTHER INF	ORMATION		
16.1	Other Information: Keep out of reach	of children. Do not to	ake internally. Keep away		).	
16.2	Terms & Definitions: Please see last page	ge of this MSDS.				
	government regula information conta guaranteed and r to the specific pro	ations must be review ined herein is reliabl no warranties of any t oduct(s). If this produ	fered pursuant to OSHA's ved for applicability to this le and accurate as of th ype, either expressed or in uct(s) is combined with oth sure to consult the latest e	product. To the best of Sh nis date; however, accur nplied, are provided. The ner materials, all compone	hipMate's & OPI Product acy, suitability or con information contained	cts' knowledge, the npleteness are no I herein relates only
16.4	Prepared for: OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA +1 (818) 759-2400 +1 (818) 759-5770 f http://www.opi.co	et A 91605 USA phone fax	$0 \cdot \mathbf{P} \cdot \mathbf{I}$			
16.5	Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-( Phone: +1 (310) 37 Fax: +1 (310) 370-5	0-3600	ShipMa Dangerous Training &	60000		



# **MATERIAL SAFETY DATA SHEET**

Page 7 of 7

**MSDS-135** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date:

08/01/2008

# **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

### **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number

# **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health
	Infinediately Bangeloas to Elic and fleatth

### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide
	oxygen to the body.

HEALTH

FLAMMABILITY REACTIVITY


PERSONAL PROTECTION

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

## HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

### PERSONAL PROTECTION RATINGS:



## OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

#### FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

#### HAZARD RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic			
ALK	Alkaline			
COR	Corrosive			
<del>-W</del> -	Use No Water			
OX	Oxidizer			



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD <sub>lo</sub>	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TDio, LDio, & LDo Or	Lowest dose (or concentration) to cause lethal of					
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	toxic effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			

### EC INFORMATION:

<b>N</b>		1×	*	8	<b>X</b>	×	×
С	E	F	Ν	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful