Page 1 of 8

MSDS-023

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 09/01/2008							
	1. PRODUCT IDENTIFICATION							
1.1	Product Name:							
	COMPETITION FORMULA 3000 POWDERS							
1.2	Chemical Name: ACRYLIC POWDER							
1.3	Synonyms: NA							
1.4	NA Trade Names: AE (xxx)							
1.5	Product Use:							
	PROFESSIONAL OR SUNDRY USE ONLY							
1.6	Manufacturer's Name:							
	OPI PRODUCTS, INC.							
1.7	Manufacturer's Address:							
	13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA							
1.8								
	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300							
1.9	Business Phone: +1 (818) 759-2400 / +1 (800)-341-9999							
	+1 (816) / 57-2400 / +1 (800)-341-7777							
	2. HAZARD IDENTIFICATION							
2.1	This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). Allergic contact dermatitis is possible with prolonged or repeated contact. The							
2.2	product is a fine powder, and may cause a slipping and falling hazard if spilled. Routes of Entry: Inhalation: YES Absorption: NO Ingestion: YES							
2.2								
2.3	Effects of Exposure: EYES: Possible irritation from dust. SKIN: Irritation. Allergic contact dermatitis is possible with prolonged or repeated contact. INGESTION: No exposure effects are reported. INHALATION: Considered a nuisance dust. May cause irritation of the mouth, nose, throat, and lungs.							
2.4	Symptoms of Overexposure:							
	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.							
2.5	Acute Health Effects: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.							
2.6	Chronic Health Effects: No long-term health effects are known.							
2.7	Target Organs: Eyes, skin & respiratory system.							
NA =	Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used							
NOT	E: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.							

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$

Page 2 of 8

MSDS-023

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSD

MSDS Revision: 2.0

		•••		ITION & IN		1							(ma/m	3)	
							AC	GIH	EXPOSURE LIMITS			OSHA			
							pp	om		ppm			ppm		OTHER
	CHEMICAL NA	MF(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
	ATES COPOLY		25685-29-4	NA	NA	≤ 98.0	(10)	NA	NF	NF	NF	(15)	NA	NA	
			94-36-0	DM8575000	202-327-6	≤ 2.0	(5)	NA	NF	NF	NF	(5)	NA	NA	
ΛΑΥ Α	LSO CONTAIN	:	1		1										
CI 77	891 (TITANIUN	DIOXIDE)	13463-67-7	XR2275000	236-675-5	≤ 2.0	(15)	NA	NF	NF	NF	(15)	NA	NA	
CI 73	360 (RED LAK	E)	2379-74-0	NA	219-163-6	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 74	491 (IRON OX	IDE)	1345-25-1	NA	215-168-2	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 47	005 (YELLOW	10)	8004-92-0	GC5796000	305-879-5	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
	 First Aid: INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. SKIN: If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately. EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If irritation persists seek immediate medical attention. 														
	INHALATION:											diate	medic	al atter	ntion.
INHALATION: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical 4.2 Medical Conditions Aggravated by Exposure: HEALTH									HFAL	TH _					1
	skin, respirat	ory system)	ner skin conditions, and disorders of the target organs (eyes, . Preclude from exposure those individuals that are					yes,	FLAN		BILIT	Y			1
	susceptible to dermatitis, asthma or bronchitis.			nchitis.					REAC	TIVI	TY			-	1
									PROT	ECT	VE E	QUII	PME	I TI	В

Page 3 of 8

MSDS-023

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0

	5. FIREFIGHTING MEASURES							
5.1	Flashpoint & Method:							
	264 °C (508 °F), TCC							
5.2	Autoignition Temperature:							
	NA	T						
5.3	Flammability Limits:	Lower Explosive Limit (LEL):	NA	Upper Explosive I	imit (UEL):	NA		
5.4	Fire & Explosion Hazards:							
	Keep away from excessive heat, open f	ames, sparks, and other possible	sources of i	gnition.				
5.5	Extinguishing Methods:							
	Carbon dioxide, dry chemical & water s	oray.						
5.6	Firefighting Procedures:							
	Keep containers cool until well after the fire is out. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters should wear full face, self-contained breathing apparatus (MSHA/NIOSH approved or the equivalent) and impervious protective clothing.							
	6	ACCIDENTAL RELEAS	E MEASU	JRES				
6.1	Spills:							
	Before cleaning any spill or leak, individ			•				
	For small spills (e.g., < 5 lbs) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Carefully sweep up spilled material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 5 lbs, deny entry to all unprotected individuals. Contain spill with inert material (e.g., sand or earth). Carefully sweep up spilled material and place into appropriate closed container(s) for disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.							
	7. H	ANDLING & STORAGE	INFORM	ATION				
7.1	Work & Hygiene Practices:							
	Avoid prolonged contact with this material. Limit inhalation of the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. Do not eat, drink, or smoke while handling this product.							
7.2	Storage & Handling:							
	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. Keep away from children at all times!							
7.3	Special Precautions:							
	Local exhaust ventilation is recommended	ed.						

0·P·I

Page 4 of 8

Prep	pared to OSHA, ACC, ANSI,	NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 09/01/2008						
		8. EXPOSURE CONTROLS & PERSONAL PROTECTION						
3.1	Ventilation & Engineering Contro	ls:						
	Use with adequate vent (e.g., sink, safety shower	ilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available , eye-wash station).						
3.2	Respiratory Protection:							
	No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.							
.3	Eye Protection:							
	Avoid eye contact. None required under normal conditions of use. However, may cause irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon), safety glasses with side shields should be used.							
.4	Hand Protection:							
		handling small quantities.						
	When handling large quantities (e.g., \geq 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.							
3.5	Body Protection:							
	· · ·	handling small quantities.						
		antities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion a arge quantities of this product, wash any exposed areas thoroughly with soap and water.						
		9. PHYSICAL & CHEMICAL PROPERTIES						
.1	Density:							
.2	Boiling Point:	NE						
9.3	Melting Point:	NE						
0.4	Evaporation Rate:	NA						
9.5	Vapor Pressure:	NA						
.6	Molecular Weight:	NA						
.7	Appearance & Color:	Clear powder with an mild acrylic odor, in bulk.						
.8	Odor Threshold:							
2.9	Solubility:	Insoluble in water.						
2.10	рН	NA						
9.11	Viscosity:	NE						
9.12	Other Information:	NA						
	1	10. STABILITY & REACTIVITY						
0.1	Stability: Relatively stable under a	mbient conditions when stored properly.						
0.2	Hazardous Decomposition Products:							
	If exposed to <u>extremely</u> oxides of carbon & nitrog	high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g jen).						
0.3	Hazardous Polymerization:							
	Will not occur.							
0.4	Conditions to Avoid:	www.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e						
	•	xtreme temperatures, incompatible chemicals, strong light sources, sparks, flame.						
0.5	Incompatible Substances:							

Page 5 of 8

MSDS-023

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 09/01/2008 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. 11.2 Acute Toxicity See Section 2.5 11.3 Chronic Toxicity No long-term health effects are known. 11.4 Suspected Carcinogen: No 11.5 Reproductive Toxicity This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. However, animal mutation data are available for the components of this product were obtained during clinical studies on specific animal tissues exposed to high doses of these components. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity This product is not reported to produce reproductive effects in humans. 11.6 Irritancy of Product: See Section 2.3 11.7 Biological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life There is no specific data available for this product. However, releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this MSDS. **13. DISPOSAL CONSIDERATIONS** 13.1 Waste Disposal Dispose in accordance with local, state and Federal hazardous waste laws. U.S. EPA Characteristic Waste: D001 (flammable) 13.2 Special Considerations: NA

Page 6 of 8

MSDS-023

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0

	14. TRANSPORT		
	basic description (ID Number, proper shipping name, hazard	class & division, packing group) is shown	
	tional descriptive information may be required by 49 CFR, IA	IA/ICAO, IMDG, SCT, ADGR and the CTD)GR.
14.1	49 CFR (GND):		
	NOT REGULATED		
14.2	IATA (AIR):		
	NOT REGULATED		
14.3	IMDG (OCN):		
	NOT REGULATED		
14.4	TDGR (Canadian GND):		
	NOT REGULATED		
14.5	ADR/RID (EU):		
	NOT REGULATED		
14.6			
147			
14.7			
	NOT REGULATED		
		ORY INFORMATION	
15.1	SARA Reporting Requirements:		
15.0			
15.2	SARA Threshold Planning Quantity:		
15.0	TSCA Inventory Status:		
15.3	All components of this product are listed in the TSCA Inventor	viv or are exempt	
15.4	CERCLA Reportable Quantity (RQ):	by of the exempt.	
13.4	NA		
15.5	Other Federal Requirements:		
10.0	This product complies with the appropriate sections of the F	ood and Drug Administration's 21 CFR sul	bchapter G (Cosmetics).
15.6	Other Canadian Regulations		
	This product has been classified according to the hazard cr	iteria of the CPR and the MSDS contains	
	the information required by the CPR. The components of the		
	of the components of this product are listed on the Priorities		
15.7	State Regulatory Information:		
	Ingredients in this mixture on found on the following state cr	iteria lists:	
	California OSHA Hazardous Substances List	Benzoyl Peroxide	
	Delaware Air Quality Management List	Benzoyl Peroxide	
	Massachusetts Hazardous Substances List	Benzoyl Peroxide	
	Minnesota Hazardous Substances List	Benzoyl Peroxide	
	New Jersey Right to Know Hazardous Substances List	Benzoyl Peroxide	
	Pennsylvania Hazardous Substances List	Benzoyl Peroxide	
	Wisconsin Hazardous Substances List	Benzoyl Peroxide	
15.8	67/548/EEC (European Union) Requirements:		
	The primary component of this product is not listed in Annex	I of EU Directive 67/548/EEC.	

$0 \cdot \mathbf{P} \cdot \mathbf{I}$	I
---------------------------------------	---

Page 7 of 8

MSDS-023

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0

	16. OTHER INFORMATION
16.1	Other Information: Precisely follow directions and MSDS (available through your supplier) for use. Avoid skin contact . If redness or other signs of adverse reaction occur, discontinue use immediately. Use only in a well ventilated area. A ventilation system that expels vapors to the outdoors is recommended. Keep out of reach of children. In case of emergency, contact your physician or local Poison Control Center immediately. FOR PROFESSIONAL USE ONLY!
16.2	Terms & Definitions:
	Please see last page of this MSDS.
16.3	Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for: OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/
16.5	Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700 e-mail: shipmate@shipmate.com

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$

Page 8 of 8

MSDS-023

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0

MSDS Revision Date: 09/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
TLV	TLV Threshold Limit Value			
OSHA U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit			
IDLH	Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person						
	whose heart has stopped receives manual chest						
	compressions and breathing to circulate blood and provide						
	oxygen to the body.						

HEALTH

FLAMMABILITY

REACTIVITY


PERSONAL PROTECTION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	3 Severe Hazard			
4	Extreme Hazard			

PERSONAL PROTECTION RATINGS:



volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available			
NR	No Results			
NE	NE Not Established			
ND	Not Determined			
ML	Maximum Limit			
SCBA	Self-Contained Breathing Apparatus			


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition Minimum temperature required to initiate combust					
Temperature	in air with no other source of ignition				
Lower Explosive Limit - lowest percent of vapor in air, t					
	volume, that will explode or ignite in the presence of				
	an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air,				
by volume, that will explode or ignite in the prese					
	an ignition source				

HAZARD RATINGS:

0	Minimal Hazard				
1 Slight Hazard					
2 Moderate Hazard					
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
₩	Use No Water				
OX	Oxidizer				



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD _{lo}	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TDIo, LDIo, & LDo OF	Lowest dose (or concentration) to cause lethal or			
TC, TC _o , LC _{io} , & LC _o	toxic effects			
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

EC INFORMATION:

		1×	*	8	X	×	×
С	E	F	Ν	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful