MATERIAL SAFETY DATA SHEET

Page 1 of 7

MSDS-070

пер	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010					
	1. PRODUCT IDENTIFICATION					
1.1	Product Name:					
	PEDICURE BY OPI MASK					
1.2	Chemical Name:					
	AQUEOUS LOTION					
1.3	Synonyms:					
1.4	NA Trade Names:					
1.4	PC134, PC137, PC138, PC139					
1.5	Product Use:					
	PROFESSIONAL OR SUNDRY USE ONLY					
1.6	Manufacturer's Name:					
1.7	OPI PRODUCTS, INC. Manufacturer's Address:					
1.7	13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA					
1.8	Emergency Phone:					
	CHEMTREC: +1 (703) 527-3887 / _1 (800) 424-9300					
1.9	Business Phone:					
	+1 (818) 759-2400 / +1 (800) 341-9999					
	2. HAZARD IDENTIFICATION					
2.1	Hazard Identification: This product is NOT algoritised as a HAZARDOUS SUBSTANCE or as DANCEROUS COORS according to the algoritism criteria of					
	This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).					
2.2	Routes of Entry: Inhalation: NO Absorption: YES Ingestion: YES					
2.3	Effects of Exposure:					
	INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.					
	SKIN & EYES: Slightly irritating to the eyes. May be irritating to skin in some sensitive individuals, especially after prolonged contact.					
	INHALATION: Inhalation is unlikely, however, vapors of this product may be slightly irritating to some sensitive individuals.					
2.4	Symptoms of Overexposure:					
0.5	Symptoms of overexposure may include redness, itching, and irritation.					
2.5	Acute Health Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.					
2.6	Chronic Health Effects:					
	No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure					
	following ingestion. Methylparaben and propylparaben, contained in very small quantities in this product, may be mild allergens to some sensitive individuals.					
2.7	Target Organs:					
	Eyes, skin.					
NA =	Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used					
NOTE	all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.					

MATERIAL SAFETY DATA SHEET

Page 2 of 7

MSDS-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010

			J. J.		N & INGR	LUILIY	1 1141	<u> </u>			IAAITC '	AL AID	[mag: 1:	-31	
							AC	<u> </u>		NOHSC	IMITS I	N AIK	(mg/m OSHA		
						pp		'	ppm			ppm		OTHER	
								ES-	ES-	ES-		PP		0	
	CHEMICAL NA	ME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
AQUA	A (WATER)		7732-18-5	ZC0110000	231-791-2	≤ 70.0	NE	NE				NE	NE	NE	
KAOL	IN		1332-58-7	GF1670500		≤ 15.0	(2)	NA	NF	NF	NF	(2)	NA	NA	RESP FRAC
BENT	ONITE		1302-78-9	NA	215-108-5	≤ 2.0	(10)	NA	NF	NF	NF	(15)	NA	NA	
GLYC	ERIN		56-81-5	MA8050000	200-289-5	≤ 2.0	(5)	NA	NF	NF	NF	(5)	NA	NA	
STEAF	RIC ACID		57-11-4	WI2800000	200-313-4	≤ 2.0	(10)	NA	NF	NF	NF	(15)	NA	NA	(5) DUS
PERSE Extr	EA GRATISSIMA (ACT	(AVOCADO)	84695-98-7	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
	ROSPERNUM PAI R) EXTRACT	RKII (SHEA	194043-92-0	NA	270-311-6	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
CITRI	C ACID		77-92-9	GE7350000	201-069-1	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
SODI	UM LAURETH SUL	FATE	9004-82-4	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
MENT			89-78-1	OT0350000	218-690-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CAM EXTRA	ELLIA OLEIFERA (ACT	(GREEN TEA)	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CUCUMIS SATIVUS (CUCUMBER) EXTRACT		89998-01-6	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA		
FRAGRANCE (PARFUM)			NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
METHYLPARABEN		99-76-3	DH2450000	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA		
PROP	YLPARABEN		94-13-3	DH2800000	202-307-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PHEN	OXYETHANOL		122-99-6	KM0350000	204-589-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 42	090 (BLUE 1)		3844-45-9	NA	223-339-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	140 (YELLOW 5)		1934-21-0	NA	217-699-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 17	200 (RED 33)		3567-66-6	NAA	222-656-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
				/ F	IRST AID I	MEASI	IDEC								
4.1	First Aid:			4. 1	IKSI AID I	VILAS	JKLS								
7.1	INGESTION: If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.														
	EYES: If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eye to ensure thorough irrigation. If problem persists, consult a physician.						eyelid(s)								
	SKIN:		dryness or othe ation persists, o	•		in devel	op, wa	sh affe	cted s	kin are	eas wit	h plen	ty of w	arm w	ater and
	INHALATION:	Remove vic	tim to fresh air	at once.											
4.2	Medical Condition	s Aggravated by	Exposure:						HEAL	TH					0
	None known.								FLAN	ΛМА	BILIT'	Υ			0
												_			
				REACTIVITY 0 PROTECTIVE EQUIPMENT			0								
								_				QUII	PMFI		0

MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-070

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010					
	5. FIREFIGHTING MEASURES					
5.1	Flashpoint & Method:					
	Non-flammable.					
5.2	Autoignition Temperature:					
	NA					
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA					
5.4	Fire & Explosion Hazards:					
	This product is non-flammable.					
5.5	Extinguishing Methods:					
	NA O O					
5.6	Firefighting Procedures:					
	NA V					
	6. ACCIDENTAL RELEASE MEASURES					
6.1	Spills:					
	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.					
	For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open					
	doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal.					
	Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with					
	plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.					
	For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer					
	product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal					
	sewers and open bodies of water.					
	7. HANDLING & STORAGE INFORMATION					
7.1	Work & Hygiene Practices:					
	Avoid eye contact.					
7.2	Storage & Handling:					
	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked					
	containers or storage devices. Keep containers securely closed when not in use.					
7.3	Special Precautions:					
	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.					
	8. EXPOSURE CONTROLS & PERSONAL PROTECTION					
8.1	Ventilation & Engineering Controls:					
	General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.					
8.2	Respiratory Protection:					
	None required if used in a well-ventilated area.					
8.3	Eye Protection:					
	Avoid eye contact. None required under normal conditions of use.					
8.4	Hand Protection:					
	None required under normal conditions of use.					
8.5	Body Protection:					
	None required under normal conditions of use.					

MATERIAL SAFETY DATA SHEET

Page 4 of 7 **MSDS-070**

Prep	ared to OSHA, ACC, ANSI,	NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010			
		9. PHYSICAL & CHEMICAL PROPERTIES			
.1	Density:	1.35			
.2	Boiling Point:	ND			
3	Melting Point:	ND ND			
4	Evaporation Rate:	ND ND			
5	Vapor Pressure:	ND ND			
6	Molecular Weight:	ND ND			
7	Appearance & Color:	Viscous, pale green colored creme with characteristic odor.			
8	Odor Threshold:	ND ND			
9	Solubility:	Miscible with water.			
10	рН	5.8			
.11	Viscosity:	NA			
12	Other Information: NA				
		10. STABILITY & REACTIVITY			
0.1	Stability: This product is stable.				
0.2	Hazardous Decomposition Produc Oxides of carbon and nitr				
0.3	Hazardous Polymerization: Will not occur.				
0.4	Conditions to Avoid: Open flames, sparks, high	n heat and direct sunlight.			
0.5	Incompatible Substances: None known.				
	Hone known.				
		11. TOXICOLOGICAL INFORMATION			
1.1	Toxicity Data:				
1.2	The product has not been tested for specific toxicity data. Acute Toxicity: See section 2.5				
1.3	See section 2.5 Chronic Toxicity:				
1.4	See section 2.6 Suspected Carcinogen:				
1.5	No. Reproductive Toxicity:				
	This product is not reported to produce reproductive toxicity in humans. Mutagenicity:				
	This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.				
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.				
1.6	Irritancy of Product: See Section 2.3				
1.7	Biological Exposure Indices: NE				
.8	Physician Recommendations: Treat symptomatically.				
		12. ECOLOGICAL INFORMATION			
2.1	Environmental Stability: There is no specific data of				
2.2	Effects on Plants & Animals: There is no specific data of	·			
2.3	Effects on Aquatic Life: There is no specific data of				

MATERIAL SAFETY DATA SHEET

Page 5 of 7 **MSDS-070**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with Federal, state and local regulations. Special Considerations 13.2 NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND) **NOT REGULATED** IATA (AIR) 14.2 NOT REGULATED 14.3 IMDG (OCN) **NOT REGULATED** TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU) **NOT REGULATED** 14.6 MEXICO (SCT): **NOT REGULATED** ADGR (Australia): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting Requirements: 15.2 SARA Threshold Planning Quantity: NA TSCA Inventory Status: 15.3 All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status. 15.4 CERCLA Reportable Quantity (RQ): NA Other Federal Requirements: 15.5 This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information None of the ingredients in this mixture are found on any of the state criteria lists. 15.8 67/548/EEC (European Union) Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.

http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010 16. OTHER INFORMATION Other Information: Use only as directed. Discontinue use immediately if irritation develops. 16.2 Please see last page of this MSDS. 16.3 Disclaimer This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: OPI Products, Inc. 13034 Saticoy Street $O \cdot P \cdot I$ No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/ Prepared by: 16.5 ShipMate, Inc. P.O. Box 787 Sisters, OR, 97759-0787 +1 (310) 370-3600 phone Dangerous Goods +1 (310) 370-5700 fax Training & Consulting

MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.1

MSDS Revision Date: 02/08/2010

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

	CAS No. Ch	emical Abstract Service Number
--	------------	--------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit	
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiop	oulmona	ry resi	uscitation -	method in	which a	person
	whose	heart	has	stopped	receives	manual	chest
	compressions and breathing to circulate blood and provide						
	axyaen to the hady						


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1 Slight Hazard	
2 Moderate Hazard	
3 Severe Hazard	
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:













Synthetic Apron

Dust & Vapor

Respirator





or SCBA

 $(\widehat{})$

Vapor Respirator

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND Not Determined	
ML Maximum Limit	
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion
Temperature	in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by
	volume, that will explode or ignite in the presence of
	an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air,
	by volume, that will explode or ignite in the presence of
	an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-W	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the
	exposed animal
ppm	Concentration expressed in parts of material per
pp	· · · · · · · · · · · · · · · · · · ·
	million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or
TC, TC _o , LC _{lo} , & LC _o	toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

EC INFORMATION:

		M	*		9	X	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful