## **MATERIAL SAFETY DATA SHEET**

Page 1 of 7

MSDS-071

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards   MSDS Revision: 2.0   MSDS Revision Date: 05/08/2008
	1. PRODUCT IDENTIFICATION
1.1	Product Name:
	PEDICURE BY OPI – MASSAGE
1.2	Chemical Name:
	AQUEOUS LOTION
1.3	Synonyms:
	NA
1.4	Trade Names: PC144, PC147, PC148, PC149
1.5	Product Use:
	PROFESSIONAL OR SUNDRY USE ONLY
1.6	Manufacturer's Name:
1 7	OPI PRODUCTS, INC.  Manufacturer's Address:
1.7	Manufacturer's Address:  13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA
1.8	Emergency Phone:
	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300
1.9	Business Phone:
	+1 (818) 759-2400 / +1 (800) 341-9999
	A HATARRIBIANIANI
0.1	2. HAZARD IDENTIFICATION
2.1	Hazard Identification: This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of
	[NOHSC: 1088 (1999)] and ADG Code (Australia).
2.2	Routes of Entry: NO Absorption: YES Ingestion: YES
2.3	Effects of Exposure:
	INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.
	SKIN & EYES: Slightly irritating to the eyes. May be irritating to skin in some sensitive individuals, especially after prolonged contact.
	INHALATION: Inhalation is un-likely, however, vapors of this product may be slightly irritating to some sensitive individuals.
2.4	Symptoms of Overexposure:
	Symptoms of overexposure may include redness, itching, and irritation.
2.5	Acute Health Effects:
2.4	Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.  Chronic Health Effects:
2.6	No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure
	following ingestion. Triethanolamine, propylene glycol, methylparaben and propylparaben, contained in very small quantities in this
	product, may be mild allergens to some sensitive individuals.
2.7	Target Organs:
	Eyes, skin.
	Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used
NOTE	all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2003 format.

### **MATERIAL SAFETY DATA SHEET**

Page 2 of 7

MSDS-071

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/08/2008

3	COMPOSITION	I & INGREDIENT	INFORMATION	
•				

	<del>- 0. 00</del>									IN AI	R (mg/ı	m³)	
					GIH	NOHSC OSHA							
					pp	om	ES-	ppm ES-	ES-	├─	ppm		OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	-	PEL	STEL	IDLH	
AQUA (WATER)	7732-18-5	ZC0110000	231-791-2	≤ 78.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISOPROPYL PALMITATE	142-91-6	NA	205-571-1	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
PPG-3 BENZYL ETHER MYRISTATE	403517-45- 3	NA	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
CETEARYL ALCOHOL	8005-44-5	NA	267-008-6	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISODODECANE	31807-55-3	SD8925000	250-816-8	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
GLYCERYL STEARATE	123-94-4	NA	250-705-4	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
PEG-100 STEARATE	9004-99-3	MD0907300	NA	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
DIMETHICONE CROSSPOLYMER-3	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
GLYCERIN	56-81-5	MA8050000	200-289-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
STEARIC ACID	57-11-4	WI2800000	200-313-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TRIETHANOLAMINE	102-71-6	KL9275000	203-049-8	≤ 1.0	(5)	NA	(5)	NF	NF	(5)	NA	NA	RESP FRAC
CARBOMER	9062-04-8	AT4683000	231-791-2	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
METHYLPARABEN	99-76-3	DH2450000	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PARFUM (FRAGRANCE)	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
DEHYDROACETIC ACID	520-45-6	UP8050000	208-293-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PVM/MA COPOLYMER	9011-16-9	LU14050000	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
SODIUM POLYACRYLATE	9003-04-7	WD6826000	NA	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
DISODIUM EDTA	139-33-3	AH4375000	205-358-3	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BENZYL ALCOHOL	100-51-6	DN3150000	202-859-9	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
PROPYLENE GLYCOL	57-55-6	TY2000000	200-338-0	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
TOCOPHERYL (VITAMIN E) ACETATE	7695-91-2	GA8747000	231-710-0	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BENZETHONIUM CHLORIDE	121-54-0	BO7175000	204-479-9	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BENZOIC ACID	65-85-0	DG0875000	200-618-2	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
SALICYLIC ACID	69-72-7	VO525000	200-712-3	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
HEXYL CINNAMAL	101-86-0	GD6560000	202-983-3	≤ 0.1	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
ACHILLEA MILLEFOLIUM (YARROW) EXTRACT	84082-83-7	NA	282-030-6	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CALENDULA OFFICINALIS FLOWER EXTRACT	84776-23-8	NA	283-949-5	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	

## **MATERIAL SAFETY DATA SHEET**

Page 2 of 7

MSDS-071

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 05/08/2008

		3.	COMPOS	ITION & I	NGREDIE	NT IN	IFOF	RMAT	ION-	- con	tinue	d			
							EXPOSURE LIMITS IN AIR (mg/m³)								
							_	GIH		NOHSC			OSHA	١	071150
							р	pm	ES-	ppm ES-	ES-		ppm		OTHER
	CHEMICAL NA	ME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
_	MOMILLA RECUT RICARIA) EXTRA		84649-86-5	NA	283-467-5	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
-	IS AURANTIUM D NGE) FLOWER E		90045-43-5	NA	289-904-6	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	ICULUM VULGA		84625-39-8	NA	283-414-6	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
GERA EXTRA	NIUM MACULAT	TUM	84650-10-2	NA	283-491-6	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
-	A GRATISSIMA CADO) EXTRAC	ï	84695-98-7	NA	NA	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
RETIN	YL (VITAMIN A)	PALMITATE	79-81-2	VH6860000	NA	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
ROSA	CANINA (ROSE	E) EXTRACT	84604-12-6	NA	283-289-8	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
SALIV EXTRA	'IA OFFICINALIS ACT	(SAGE)	84082-79-1	NA	282-025-9	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	UCUS NIGRIS (E 'ER) EXTRACT	LDER	84695-98-7	NA	NA	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 19	140 (YELLOW 5)		1934-21-0	UQ640000	217-699-5	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 17	200 (RED 33)		3567-66-6	NA	222-656-9	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BENZ	YL SALICYLATE		118-58-1	VO1750000	204-262-9	≤ 0.1	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
AMYL	CINNAMAL		122-40-7	NA	204-541-5	≤ 0.1	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
CITRO	ONELLOL		106-22-9	RH340000	203-375-0	≤ 0.1	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
BUTYL	PHENYL METHYL	LPROPIONAL	80-54-6	MW4895000	201-289-8	≤ 0.1	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
EUGE	NOL		97-53-0	SJ43750000	202-589-1	≤ 0.1	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
GERA	NIOL		106-24-1	RG5830000	203-377-1	≤ 0.1	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
					FIRST AIR	445									
	Г			4.	FIRST AID	MEA	120F	(E2							
4.1	First Aid: INGESTION:	offer plenty Center or lo	of water or ocal emerger	milk. Never ncy number.	Drink plenty give water or Provide an es	milk t	o an o	uncons e time o	cious pand am	oerson. Jount of	Conto	ct the	e near ce tha	est Poi: t was s	son Control wallowed.
				pious amount em persists, c				er for at	least 1	5 minul	es. O	pen d	nd clo	se eyelid(s)	
	SKIN:		dryness or otl tation persists	•	ritation to the s nysician.	skin de	evelop	, wash	affect	ed skin	areas v	with pl	lenty c	of warm	water and
	INHALATION:	Remove vi	ctim to fresh o	air at once.											
4.2	Medical Condition	ns Aggravated b	y Exposure:						Н	EALT	Н				0
None known.									F	LAM	<b>MABI</b>	LITY			0
										EACI					0
										ROTE			HIP	MFNI	
									_				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	**F141	
									[	<b>YES</b>					

### **MATERIAL SAFETY DATA SHEET**

Page 3 of 7

MSDS-071

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 05/08/2008
	5. FIREFIGHTING MEASURES
5.1	Flashpoint & Method:
	Non-flammable.
5.2	Autoignition Temperature:  NA
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA
5.4	Fire & Explosion Hazards:
0.,	This product is non-flammable.
5.5	Extinguishing Methods:
	NA ON
5.6	Firefighting Procedures:
	NA Y
	6. ACCIDENTAL RELEASE MEASURES
6.1	Spills:
0.1	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.
	For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open
	doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal.
	Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with
	plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.
	For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer
	product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove
	contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
	sewers and open bodies of water.
	7. HANDLING & STORAGE INFORMATION
7.1	Work & Hygiene Practices:
	Avoid eye contact.
7.2	Storage & Handling:
	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked
7.3	containers or storage devices. Keep containers securely closed when not in use.  Special Precautions:
1.3	Special Precautions:  Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.
	opined material may present a suppling nazara it ien ondirended. Ciedit dit spilis promptiy.
	8. EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	Ventilation & Engineering Controls:
	General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.
8.2	Respiratory Protection:
	None required if used in a well-ventilated area.
8.3	Eye Protection:
	Avoid eye contact. None required under normal conditions of use.
8.4	Hand Protection:
0.5	None required under normal conditions of use.
8.5	Body Protection: None required under normal conditions of use
	None required under normal conditions of use.

## **MATERIAL SAFETY DATA SHEET**

Page 4 of 7 **MSDS-071** 

Prep	ared to OSHA, ACC, ANSI	, NOHSC, WHMIS & 2001/58 EC Standards	MSDS Revision: 2.0	MSDS Revision Date: 05/08/2008	
		O DIIVEICAL O CUEL	MOAL DROBERTIES		
1	Demaile	9. PHYSICAL & CHEN	IICAL PROPERIIES		
9.1 9.2	Density:  Boiling Point:	0.9700 – 0.9990			
.2	Melting Point:	ND ND			
.4	Evaporation Rate:	ND ND			
.5	Vapor Pressure:	ND ND			
.6	Molecular Weight:	ND ND			
.7	Appearance & Color:	Semi-viscous, off-white colored cro	eme with characteristic od	dor	
8	Odor Threshold:	ND	errie wiiri characterisiic oc	101.	
9	Solubility:	Soluble in water.			
.10	рН	6.30-7.30			
.11	Viscosity:	84,000 – 130,000			
.12	Other Information:	NA NA			
		10. STABILITY &	REACTIVITY		
).1	Stability:  This product is stable.		-		
0.2	Hazardous Decomposition Produ Oxides of carbon and nit				
0.3	Hazardous Polymerization: <b>Will not occur.</b>				
).4	Conditions to Avoid: Open flames, sparks, hig	h heat and direct sunlight.			
).5	Incompatible Substances: None known.				
		11. TOXICOLOGICA	L INFORMATION		
1.1	Toxicity Data: The product has not bee	n tested for specific toxicity data.			
1.2	Acute Toxicity: See section 2.5				
1.3	Chronic Toxicity: See section 2.6				
1.4		ethanolamine, which is not carcinogenic to	humans but is listed as Gr	roup 3 carcinogen by IARC.	
1.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.				
	Mutagenicity:  This product is not reporte  Embryotoxicity:	ed to produce mutagenic effects in humar	ns.		
	, ,	ed to produce embryotoxic effects in hum	ans.		
	This product is not reported to produce teratogenic effects in humans.  Reproductive Toxicity:				
1.6	This product is not reported Irritancy of Product:	ed to produce reproductive effects in hum	ans.		
1.7	See Section 2.3 Biological Exposure Indices:				
1.8	<b>NE</b> Physician Recommendations:				
	Treat symptomatically.				
		12. ECOLOGICAL	INFORMATION		
2.1	•	available for this product.			
2.2		available for this product.			
2.3	Effects on Aquatic Life: There is no specific data	available for this product.			

### **MATERIAL SAFETY DATA SHEET**

Page 5 of 7

MSDS-071

riep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards   MSDS Revision: 2.0   MSDS Revision Date: 05/08/2008					
	12. ECOLOGICAL INFORMATION					
12.1	Environmental Stability: There is no specific data available for this product.					
12.2	Effects on Plants & Animals: There is no specific data available for this product.					
12.3	Effects on Aquatic Life: There is no specific data available for this product.					
13.1	13. DISPOSAL CONSIDERATIONS  Waste Disposal:					
13.1	Dispose of in accordance with Federal, state and local regulations.  Special Considerations:					
13.2	NA					
	14. TRANSPORTATION INFORMATION					
	pasic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Itional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.					
14.1	49 CFR (GND): NOT REGULATED					
14.2	IATA (AIR): NOT REGULATED					
14.3	IMDG (OCN): NOT REGULATED					
14.4	TDGR (Canadian GND): NOT REGULATED					
14.5	ADR/RID (EU): NOT REGULATED					
14.6	MEXICO (SCT): NOT REGULATED					
14.7	ADGR (Australia):					
	NOT REGULATED					
	15. REGULATORY INFORMATION					
15.1	SARA Reporting Requirements: NA					
15.2	SARA Threshold Planning Quantity: NA					
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.					
15.4	CERCLA Reportable Quantity (RQ):  NA					
15.5	Other Federal Requirements:  This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).					
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.					
15.7	State Regulatory Information: Ingredients in this mixture on found on the following state criteria lists:					
	Massachusetts Hazardous Substances List Minnesota Hazardous Substances List Pennsylvania Hazardous Substances List New Jersey HazarrRight to Know List California Right to Know List Florida Right to Know List  Massachusetts Hazardous Substances List Triethanolamine, Propylene Glycol, Benzyl alcohol, Benzoic Acid Isodecane, Benzoic Acid Benzyl alcohol, Benzoic Acid, Eugenol Benzoic Acid					
15.8	67/548/EEC (European Union) Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC. R: 36 Irritating to eyes S: 3/7 Keep container tightly closed in cool, well ventilated place					

e-mail: shipmate@shipmate.com

### **MATERIAL SAFETY DATA SHEET**

Page 6 of 7

MSDS-071

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 05/08/2008 16. OTHER INFORMATION Other Information: Use only as directed. Discontinue use immediately if irritation develops. Terms & Definitions: 16.2 See last page of this MSDS. 16.3 Disclaimer This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: OPI Products, Inc. 13034 Saticoy Street  $O \cdot P \cdot I$ No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/ Prepared by: 16.5 ShipMate, Inc. **PO Box 787** Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Dangerous Goods Fax: +1 (310) 370-5700 Training & Consulting

### **MATERIAL SAFETY DATA SHEET**

Page 7 of 7

MSDS-071

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/08/2008

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists		
TLV Threshold Limit Value			
OSHA U.S. Occupational Safety and Health Administration			
PEL Permissible Exposure Limit			
IDLH Immediately Dangerous to Life and Health			

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person						
	whose heart has stopped receives manual chest						
	compressions and breathing to circulate blood and provide						
	oxygen to the body.						


#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard		
1 Slight Hazard			
2	Moderate Hazard		
3 Severe Hazard			
4	Extreme Hazard		



#### PERSONAL PROTECTION RATINGS:







Vapor Respirator







**Dust & Vapor** 

Respirator





Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

#### OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

#### FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion						
Temperature	in air with no other source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by						
	volume, that will explode or ignite in the presence of						
	an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air,						
	by volume, that will explode or ignite in the presence of						
	an ignition source						

#### HAZARD RATINGS:

0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
<del>-W-</del>	Use No Water		
ОХ	Oxidizer		



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub> Lethal Dose (solids & liquids) which kills 50%					
	exposed animals s				
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD <sub>lo</sub>	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal of				
TC, TCo, LCio, & LCo	toxic effects				
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF Bioconcentration Factor					
TL <sub>m</sub> Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution				

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

#### EC INFORMATION:

		No.	*		<b>®</b>	X	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful