

Page 1 of 6 SDS-361

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 9/29/2016 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **OPI ProSpa NAIL & CUTICLE OIL** 12 Chemical Name Natural Oil Mixture 1.3 Synonyms NA 14 Trade Names AS200/ AS201/ AS202 15 Product Use Professional Or Sundry Use Only 1.6 Distributor's Name **OPI Products**, Inc. 1.7 Distributor's Address: 13034 Saticoy Street, No. Hollywood, CA 91605 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.9 Business Phone / Fax: +1 (818) 759-2400 / +1 (818) 759-5776 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. Classification: Skin Sens. 1A Hazard Statements (H): H317 - May cause an allergic skin reaction. Precautionary Statements (P): P261 - Avoid breathing mist/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention. P321 - Specific treatment (See Section 4 of this Safety Data Sheet). P362+P364 - Take off contaminated clothing and wash before reuse. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m<sup>3</sup>) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-STEL ю н тιν STEL PFI OTHER CHEMICAL NAME(S) CAS No RTECS No. EINECS No % TWA STEL PEAK PERSEA GRATISSIMA (AVOCADO) 8024-32-6 CL2680000 232-428-0 15-40 NA NA NF NF NF NA NA NA OII 29806-73-3 NA 249-862-1 10-30 NA NA NF NF NF NA NA NA ETHYLHEXYL PALMITATE NA 8024-22-4 273-313-5 10-30 NA NA NF NF NF NA NA NA VITIS VINFERA (GRAPE) SEED OIL 142-91-6 RT4900000 205-571-1 5-10 NA NA NF NF NF NA NA NA **ISOPROPYL PALMITATE** Skin Irrit. 2; Eye Irrit. 2A; H315, H319 84776-03-4 HELIANTHUS ANNUUS NA 232-273-9 5-10 NA NA NF NF NF NA NA NA (SUNFLOWER) SEED OIL 8002-43-5 OG7565000 297-639-2 5-10 NA NA NF NF NF NA NA NA I ECITHIN VU3940000 5-10 8008-74-0 232-370-6 NA NA NF NF NF NA NA NA SESAMUM INDICUM (SESAME) SEED OIL NA NA NA NF NF NF NA NA NA CAPRYLIC/CAPRIC 65381-09-1 265-724-3 5-10 TRIGLYCERIDE NA NA 1-5 NA NA NF NF NF NA NA NA NA FRAGRANCE (PARFUM) ALEURITES MOLUCCANUS 8015-80-3 NA NA 0.1-1.0 NA NA NF NF NF NA NA NA SEED OIL 204-881-4 2 NA 10 NF NF 10 NA NA GO78775000 128-37-0 0.1-1.0 BHT (BUTYLATED HYDROXYTOLUENE) Aquatic Acute 1; Aquatic Chronic 1; H400, H410 KQ6300000 200-578-6 0.1-1.0 1000 3000 1000 1880 NF 100 3000 3300 64-17-5 ALCOHOL Flam. Liq. 2; H225 RG2275000 NF 112-80-1 204-007-1 0.1-1.0 NA NA NF NF NA NA NA OLEIC ACID 11099-07-3 NA 234-325-6 0.1-1.0 NA NA NF NF NF NA NA NA GLYCERYL STEARATE NA THEOBROMA GRANDIFLORUM 394236-97-6 NA NA 0.1-1.0 NA NA NF NF NF NA NA SEED BUTTER 137-66-6 NA 205-305-4 0.0-0.1 NA NA NF NF NF NA NA NA ASCORBYL PALMITATE 54-28-4 NA 200-201-5 0.0-0.1 NA NA NF NF NF NA NA NA TOCOPHEROL Aquatic Chronic 4; H413



Page 2 of 6 **SDS-361** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/29/2016

		3. COMP	OSITION 8		DIENI	INF	ORM	ΙΑΤΙ	UN -	- COI	nťd			
							<b>U</b> 1 1 1					I AIR (m	g/m <sup>3</sup> )	
						AC	GIH		NOHSC			OSHA	<b>,</b> ,	
						р	om		ppm			ppm		
								ES-	ES-	ES-				
	ICAL NAME(S) IUS COMMUNIS (CASTOR)	CAS No. 8001-79-4	RTECS No. FI4100000	EINECS No. 232-293-8	<u>%</u> 0.0-0.1	TLV NA	STEL NA	TWA NF	STEL NF	PEAK NF	PEL NA	STEL NA	IDLH NA	OTHER
SEED		0001-73-4	114100000	202-200-0	0.0-0.1	11/1	11/1		1.11		11/1		11/1	
	ELLIA SINESIS LEAF	84650-60-2	NA	283-935-9	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
EXTR	ACT													
0140		12225-21-7	NA	235-428-9	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 19	140 (YELLOW 5)		1											
			4.	FIRST AI	D MEA	SUF	RES							
4.1	First Aid:	Ingestion:	If ingested, do	-			_	vater	or milk	IMME		IV If	the na	tient is vomiting
		<u>ingestion</u> .	continue to offe											
			nearest Poisor											
			the substance			0	,							
		Eyes:	If product is in	the eyes, flus	h with copi	ous ai	mounts	s of luk	ewarm	n water	for at	least	15 min	utes. Open an
			close eyelid(s)											
		<u>Skin</u> :	If redness, dry									-		as with plenty c
			warm water an							,				
		Inhalation:	Remove victim	to fresh air at	once.									
4.2	Effects of Exposure:	Ingestion:	If product is sv	/allowed, may	cause nau	isea, \	/omitin	g and/	or diar	rhea.				
		Eyes:	Slightly irritatin	-		-								
		<u>Skin</u> :	May be irritatir	• •		ve ind	ividual	s, espe	ecially	after p	rolong	ed cor	itact.	
		Inhalation:	Inhalation is	unlikely; how	ever, vapo	ors of	this p	produc	t may	be s	lightly	irritati	ng to	some sensitiv
			individuals.										0	
4.3	Symptoms of Overexposure:	Symptoms of	overexposure	may include re	edness, itcl	ning, a	nd irrit	ation.						
4.4	Acute Health Effects:	Redness, itcl	ning, and irritatio	on of skin at th	e site of co	ontact	for sor	ne ser	isitive i	ndivid	uals.			
4.5	Chronic Health Effects:	No chronic h	ealth effects are	known, altho	ugh sympt	oms a	nd disc	omfor	t may o	occur f	or sev	eral da	ys follo	wing
			e following inges		0 7 .								-	Ū.
4.6	Target Organs:	Eyes, Skin.												
4.7	Medical Conditions	None known.							HEAL	TH				1
	Aggravated by Exposure:								FLAM	MAB	LITY			0
									PHYS		HA7	ARDS		0
								_				QUIPN		A
									EYES					
														ł
5 4				REFIGHT				S						
5.1	Fire & Explosion Hazards:		is non-flamma	able. Howev	er, if invo	lved i	n a fi	S	s prod	luct m	ay igi	nite ar	nd	
		decompose to	is non-flamma o carbon mono	able. Howev ide, carbon di	er, if invo	lved i	n a fi	S	s prod	luct m	ay igi	nite ar	nd	
5.2	Extinguishing Methods:	decompose to Water Fog, F	is non-flamma o carbon mono» oam, Dry Chem	able. Howev ide, carbon di ical.	er, if invo oxide and	lved i smoke	n a fi e.	E <b>S</b> re, thi	•		, ,			0
		decompose to Water Fog, F As in any f	is non-flamma o carbon mono> oam, Dry Chem fire, wear MSF	able. Howev ide, carbon di ical. IA/NIOSH ap	er, if invo oxide and oproved se	lved i smoke	n a fi e. Itained	<b>S</b> re, thi breat	hing a	appara	tus (p	oressu	re	
5.2	Extinguishing Methods:	decompose to Water Fog, F As in any f demand) and	is non-flamma o carbon mono> oam, Dry Chem fire, wear MSH I full protective	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c	er, if invo oxide and oproved se	lved i smoke elf-con	n a fi e. tained ntil we	ES re, thi breat	hing a the fi	appara e is o	tus (p ut. Us	oressu se wat	re er	100
5.2	Extinguishing Methods:	decompose to Water Fog, F As in any f demand) and spray to cool	is non-flamma o carbon mono» oam, Dry Chem ire, wear MSH I full protective fire-exposed s	able. Howev tide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t	er, if invo oxide and oproved se containers o protect p	lved i smoke elf-con cool u erson	n a fi e. Itained ntil we nel. F	re, thi breat Il after Preven	hing a the fint trunof	appara e is o f from	tus (p ut. Us fire c	oressu se wat	re er or	
5.2	Extinguishing Methods:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from	is non-flamma o carbon monox oam, Dry Chem fire, wear MSH full protective fire-exposed s entering sewers	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin	er, if invo ioxide and oproved so containers o protect p king water	lved i smoke elf-con cool u erson suppl	n a fi e. tained ntil we nel. F y or ar	re, thi breat Il after Preven ny nati	hing a the fin t runof ural wa	appara e is o f from iterway	tus (p ut. Us fire c /. Fire	oressu se wat ontrol efighte	re er or rs	
5.2	Extinguishing Methods:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full	is non-flamma o carbon monoy oam, Dry Chem ire, wear MSH I full protective fire-exposed s entering sewer: bunker gear i	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS	er, if invo ioxide and oproved se containers o protect p king water SH-approve	lved i smoke elf-con cool u erson suppl ed pos	n a fi e. Itained ntil we nel. F y or ai sitive p	re, thi breat Il after Preven by natio	hing a the fir trunof ural wa	appara e is o f from iterway	tus (p ut. Us fire c /. Fire	oressu se wat ontrol efighte	re er or rs	
5.2	Extinguishing Methods:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full	is non-flamma o carbon monox oam, Dry Chem fire, wear MSH full protective fire-exposed s entering sewers	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS	er, if invo ioxide and oproved se containers o protect p king water SH-approve	lved i smoke elf-con cool u erson suppl ed pos	n a fi e. Itained ntil we nel. F y or ai sitive p	re, thi breat Il after Preven by natio	hing a the fir trunof ural wa	appara e is o f from iterway	tus (p ut. Us fire c /. Fire	oressu se wat ontrol efighte	re er or rs	
5.2	Extinguishing Methods:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to	is non-flamma o carbon monoy oam, Dry Chem fire, wear MSH full protective fire-exposed s entering sewers bunker gear i protect against	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS potential haza	er, if invo ioxide and oproved so containers o protect p king water SH-approv rdous deco	lved i smoke elf-con cool u person suppl ed pos	n a fi e. Itained ntil we nel. F y or an sitive p ition p	breat breat Il after Preven by natu pressu	hing a the fii t runof ural wa re self s.	appara e is o f from iterway	tus (p ut. Us fire c /. Fire	oressu se wat ontrol efighte	re er or rs	
5.2	Extinguishing Methods:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to	is non-flamma o carbon monoy oam, Dry Chem fire, wear MSH I full protective I fire-exposed s entering sewers I bunker gear i protect against	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep urfaces and t s, drains, drin ncluding NIOS potential haza	er, if invo ioxide and oproved secontainers o protect p king water SH-approve rdous dece	lved i smoke elf-con cool u berson suppl ed pos ompos	n a fi a. Itained ntil we nel. F y or ar sitive p ition p	breat Il after Preven by natio ressult roducts	hing a the fin t runof ural wa re self s. ES	appara re is or f from aterway -contai	tus (p ut. Us fire c /. Fire ned b	oressu se wat ontrol efighte reathir	re er or rs ng	
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to Before clean	is non-flamma o carbon monoy oam, Dry Chem fire, wear MSH full protective fire-exposed s entering sewers bunker gear i protect against	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep urfaces and t s, drains, drin ncluding NIOS potential haza	er, if invo ioxide and oproved secontainers o protect p king water SH-approve rdous dece	lved i smoke elf-con cool u berson suppl ed pos ompos	n a fi a. Itained ntil we nel. F y or ar sitive p ition p	breat Il after Preven by natio ressult roducts	hing a the fin t runof ural wa re self s. ES	appara re is or f from aterway -contai	tus (p ut. Us fire c /. Fire ned b	oressu se wat ontrol efighte reathir	re er or rs ng	
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to Before clean Equipment.	is non-flamma o carbon monoy oam, Dry Chem fire, wear MSH I full protective fire-exposed s entering sewers bunker gear i protect against 6. ACCIDI ing any spill o	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS potential haza ENTAL R r leak, indivio	er, if invo ioxide and oproved se containers o protect p king water SH-approve redous dece ELEAS duals invol	Ived i smoke elf-con cool u eerson suppl ed pos ompos	n a fi e. Itained ntil we nel. F y or an sitive p ition p <b>IEA</b>	breat breat Il after Preven by natu roducts <b>SUR</b> clean	hing a the fir trunof ural wa re self s. <b>ES</b> up mu	appara re is or f from terway -contai	tus (p ut. Us fire co /. Fire ned b	pressu se wat ontrol efighte reathir propriat	re er for ng ng	sonal Protective
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to Before clean Equipment. For small sp	is non-flamma o carbon monoy oam, Dry Chem fire, wear MSH I full protective I fire-exposed s entering sewers I bunker gear i protect against <b>6. ACCIDI</b> ing any spill o <u>hills</u> (e.g., < 1	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS potential haza ENTAL R r leak, indivio gallon (3.8 L	er, if invo ioxide and opproved se containers o protect p king water SH-approve rdous dece ELEAS duals invol	Ived i smoke elf-con cool u berson suppl ed pos ompos <b>SE N</b> ved ir	n a fi e. Itained ntil we nel. F y or an sitive p ition p <b>IEAS</b>	breat breat ll after Preven roducts roducts <b>SUR</b> clean	thing a the fin t runof ural wa re self s. <b>ES</b> up mu	appara re is of f from terway -contai	tus (p ut. Us fire co /. Fire ned b ar app	pressu se wat ontrol efighte reathin propriat	re er or ng e Pers	sonal Protective
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to Before clean Equipment. For <u>small sp</u> Remove spill	is non-flamma o carbon monoy oam, Dry Chem fire, wear MSH I full protective I fire-exposed s entering sewers I bunker gear in protect against <b>6. ACCIDI</b> ing any spill o <u>stills</u> (e.g., < 1 ed material with	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS potential haza ENTAL R r leak, individ gallon (3.8 L absorbent m	er, if invo oxide and oproved se containers o protect p king water SH-approve rdous dece ELEAS duals invol	lved i smoke elf-con cool u erson suppl ed pos pmpos <b>SE N</b> ved ir ppropri place	n a fi a. Itained ntil we nel. F y or an sitive p ititon p <b>IEAS</b> n spill n spill iate pe into a	breat breat ll after Preven by natu roducts <b>SUR</b> clean ersona ppropr	thing a the fin t runof ural wa re self s. <b>ES</b> up mu I prote iate clo	appara re is of f from terway -contai	tus (p ut. Us fire co /. Fire ned b ar app equipr	pressu se wat ontrol efighte reathir propriat ment ( er(s) fo	re or s g e Pers e.g., gu	sonal Protective oggles, gloves osal. Dispose o
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to Before clean Equipment. For <u>small sp</u> Remove spill properly in ad	is non-flamma o carbon monox oam, Dry Chem fire, wear MSH fire-exposed s entering sewers bunker gear in protect against <b>6. ACCIDI</b> ing any spill o <u>tills</u> (e.g., < 1 ed material with ccordance with	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS potential haza ENTAL R r leak, individ gallon (3.8 L absorbent m local, state ar	er, if invo oxide and opproved so containers o protect p king water SH-approve rdous deco <b>ELEAS</b> duals invol	lved i smoke elf-con cool u erson suppl ed pos pmpos <b>SE N</b> ved ir place regula	n a fi a. Itained ntil we nel. F y or ar sitive p ition p <b>IEAS</b> n spill ate pe into a tions.	breat breat ll after Preven by naturessuu roducts <b>SUR</b> cleanu ersona ppropr Wash	hing a the fir trunof ural wa re self s. <b>ES</b> up mu I prote iate clo all aff	appara e is of f from iterway contai	tus (p ut. Us fire co /. Fire ned b ar app equipr ontaine areas	pressu se wat ontrol efighte reathir propriat ment ( er(s) fo and ou	re or ng e Pers e.g., gu or dispo	sonal Protective oggles, gloves osal. Dispose o
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to Before clean Equipment. For <u>small sp</u> Remove spill properly in ac plenty of warn	is non-flamma o carbon monoy oam, Dry Chem fire, wear MSH I full protective I fire-exposed s entering sewers I bunker gear in protect against <b>6. ACCIDI</b> ing any spill o <u>stills</u> (e.g., < 1 ed material with	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS potential haza <b>ENTAL R</b> r leak, individ gallon (3.8 L, absorbent m local, state ar ap. Remove a	er, if invo oxide and opproved se containers o protect p king water SH-approve rdous dece <b>ELEAS</b> duals invol )) wear ap aterial and federal any contam	lved i smoke elf-con cool u person suppl ed pos pmpos <b>E N</b> ved ir place regula inatec	n a fi itained ntil we nel. F y or an sitive p ition p <b>IEAS</b> n spill iate pe into a into a itons. I clothi	breat Il after Preven Preven roducts clean ersona ppropr Wash ng and	hing a the fii trunof ural wa re self s. <b>ES</b> up mu I prote iate clo all affi I wash	appara e is of f from iterway contai st wea ective of sected a thorou	tus (put. Us fire cu /. Fire ned b ar app equipr ontaine areas ighly b	pressu se wat ontrol efighte reathin propriat ment (i er(s) fo and ou pefore i	e Pers	sonal Protective oggles, gloves osal. Dispose of f container wit
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to Before clean Equipment. For <u>small sp</u> Remove spill properly in ac plenty of warn For <u>large spi</u>	is non-flamma o carbon monox oam, Dry Chem fire, wear MSH I full protective I fire-exposed s entering sewers I bunker gear in protect against <b>6. ACCIDI</b> ing any spill o <u>tills</u> (e.g., < 1 ed material with coordance with m water and soa	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS potential haza ENTAL R r leak, individ gallon (3.8 L absorbent ma local, state ar ap. Remove a allon (3.8 L)),	er, if invo oxide and opproved so containers o protect p king water SH-approve rdous deco <b>ELEAS</b> duals invol )) wear ap aterial and d federal any contam deny enti	lved i i smoké elf-con u verson suppl ed poos mpos <b>5E N</b> ved ir ppropri place regula inatec y to a	n a fi itained ntil we nel. F y or an sitive p ition p <b>IEAS</b> n spill iate pe into a tions. I clothi all unp	breat II after Preven roducts clean Clean Wash ng and rotecte	thing a the fin trunof ural ware self- s. <b>ES</b> up mu I prote iate clo all affi- l wash ed indiv	appara re is of f from terway -contai - st wea ective of sective of sective of sective of sective of sective of sective of sective of sective of sective of sective o	tus (p tus (p ut. Us fire co /. Fire ned b ar app equipr ontaino areas ighly b . Dik	pressu se wat ontrol efighte reathin propriat ment ( er(s) fo and ou pefore i ae and	e Pers	sonal Protective oggles, gloves osal. Dispose of container wit n spill with ine
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	decompose to Water Fog, F As in any f demand) and spray to cool dilution from must use full apparatus to Before clean Equipment. For <u>small sp</u> Remove spill properly in ac plenty of warr For <u>large spi</u> material (e.g. containers fo	is non-flamma o carbon monoy oam, Dry Chem fire, wear MSH full protective l full protective sentering sewers bunker gear is protect against <b>6. ACCIDI</b> ing any spill o <u>wills</u> (e.g., < 1 ed material with coordance with m water and so <u>lls</u> (e.g., $\geq$ 1 g	able. Howev ide, carbon di ical. IA/NIOSH ap gear. Keep c urfaces and t s, drains, drin ncluding NIOS potential haza ENTAL R absorbent ma local, state ar ap. Remove a allon (3.8 L)), . Transfer liqu al. Remove	er, if invo ioxide and poproved so containers o protect p king water SH-approve rdous deco ELEAS duals invol )) wear ap aterial and defederal any contarr deny entu uid to conta contamina	Ived i i smoke elf-con u eerson suppl ed pos pompos <b>SE N</b> ved ir place egula inatec inatec aniners ed clo	n a fi tained ntil we nel. F y or ar sitive p ition p <b>TEAS</b> n spill iate pe into a tions. I clothi all unp for reco	breat Il after Preven by naturoduct roduct BUR clean ersona opropr Wash ng and rotecter promp	thing a the fin trunof ural wa re self- s. <b>ES</b> up mu l prote alte cldc all aff- l wash ed indiv or disp tly and	appara re is of f from terway -contai - st wea ective of besed co ected a thorou viduals bosal a	tus (I/ fire cc /. Firr ned b ar app equipr ontaino areas ghly b . Dik nd so affec	pressu se wat ontrol efighte reathir propriat ment (c er(s) fo and ou pefore i se and lid diki	e Pers	sonal Protective oggles, gloves osal. Dispose of container wit n spill with ine erial to separat



Page 3 of 6 **SDS-361** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/29/2016

	7. HANDLING & STORAGE INFORMATION						
7.1	Work & Hygiene Practices:	Avoid eye contact.					
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.					
7.3							
		8. EXPOSURE CONTROLS & PERSONAL PROTECTION					
8.1	Exposure Limits:	ACGIH NOHSC OSHA OTHER					
	ppm (mg/m³)	CHEMICAL NAME(S) TLV STEL TWA STEL PEAK PEL STEL IDLH					
		BHT (BUTYLATED 2 NA 10 NF NF 10 NA NA					
		HYDROXYTOLUENE)         2         INA         IO         INI         IO         INA         INA           ALCOHOL         1000         3000         1000         1880         NF         100         3000         3300					
8.2	Ventilation & Engineering Controls:	When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.					
8.3	Respiratory Protection:	None required.					
8.4	Eye Protection:	None required under normal conditions of use. Avoid eye contact. May cause irritation in some sensitive individuals. When handling large quantities (e.g., $\geq$ 1 gallon), safety glasses with side shields should be used.					
8.5	Hand Protection:	None required under normal conditions of use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.					
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., $\geq$ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.					
		9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Appearance:	Golden oil					
9.2	Odor:	NA					
9.3	Odor Threshold:	ND					
9.4	pH:	NA					
9.5	Melting Point/Freezing Point:	ND					
9.6	Initial Boiling Point/Boiling Range:	ND					
9.7	Flashpoint:	Non-flammable					
9.8	Upper/Lower Flammability Limits:	NA/NA					
9.9	Vapor Pressure:	ND					
9.10	Vapor Density:	NA					
9.11	Relative Density:	NA					
9.12	Solubility:	Soluble in water					
9.13	Partition Coefficient (log Pow):	NA					
9.14	Autoignition Temperature:	NA					
9.15	Decomposition Temperature:	NA					
9.16	Viscosity:	NA					
9.17	Other Information:	NA					
		10. STABILITY & REACTIVITY					
10.1	Stability:	This product is stable.					
10.1	Hazardous Decomposition Products:	Oxides of carbon and nitrogen.					
10.3	Hazardous Polymerization:	Will not occur.					
10.4	Conditions to Avoid:	Open flames, sparks, high heat and direct sunlight.					
10.5	Incompatible Substances:	None known or reported.					
		11. TOXICOLOGICAL INFORMATION					
11.1	Routes of Entry:	Inhalation: NO Absorption: YES Ingestion: YES					
11.2	Toxicity Data:	The product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.					
11.3	Acute Toxicity:	See Section 4.4					
11.4	Chronic Toxicity:	See Section 4.5					
11.5	Suspected Carcinogen:	This product contains <u>BHT (Butylated HydroxyToluene)</u> which is not carcinogenic to humans, but is listed as a Group 3					
		carcinogen by IARC.					



Page 4 of 6 **SDS-361** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/29/2016

	11. TOXICOLOGICAL INFORMATION – cont'd					
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.				
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.				
11.7	Irritancy of Product:	See Section 4.3				
11.8	Biological Exposure Indices:	NE				
11.9	Physician Recommendations:	Treat symptomatically.				

### 12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	There are no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product.

### 13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations:	Packaging should be emptied as much as possible and after rinsing, sent for recycling.

### 14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

		15. REGULATORY INFORMATION				
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.				
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.				
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.				
15.4	CERCLA Reportable Quantity (RQ):	NA				
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).				
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).				
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).				
15.8	Other Requirements:	NĂ				



Page 5 of 6 **SDS-361** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/29/2016

		16. OTHER INFO	ORMATION				
16.1	Other Information:	WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Use only as directed. KEEP OUT OF REACH OF CHILDREN.					
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	government regulations must be reviewed for app the information contained herein is reliable and ac not guaranteed and no warranties of any type, herein relates only to the specific product(s). If the	SHA's Hazard Communication Standard, 29 CFR §1910.1200. Other blicability to this product. To the best of ShipMate's & OPI's knowledge, ccurate as of this date; however, accuracy, suitability or completeness is either expressed or implied, are provided. The information contained is product(s) is combined with other materials, all component properties time to time. Be sure to consult the latest edition.				
16.4	Prepared for:	OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com	$\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$				
16.5	Prepared by:	ShipMate, Inc.           P.O. Box 787           Sisters, Oregon 97759-0787 USA           Tel: +1 (310) 370-3600           Fax: +1 (310) 370-5700           http://www.shipmate.com	ShipMate Dangerous Goods Truining & Consulting				



Page 6 of 6 SDS-361

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/29/2016

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following: **GENERAL INFORMATION:** 

#### CAS No. Chemical Abstract Service Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

#### FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood CPR and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

#### PERSONAL PROTECTION RATINGS:

Α						G		(E)		
В						Η		(EV)	R.	
С			E.			I				
D	B		F.I			J				
Е						κ				
F	0		招			X	Consult for spec	your su ial hanc	pervisor o lling direc	or SOPs tions.
							<u> </u>			
Sa	fety Glas	ses	Splash (	Goggles	Pr		Shield & ive Eyew		Glov	) res
	Boots		Syntheti	c Apron	Pr	Protective Clothing & Full Suit		ing	Dust Respirator	
			8	3					Ĩ	

60	Durat 0 Manage Half			
Full Face Respirator	Dust & Vapor Half-			
i un i ace Respirator	Mask Respirator			

#### OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

Full Face

Respirator


Airline Hood/Mask or SCBA

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

### HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ох	Oxidizer
TREFOIL	Radioactive



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	\$
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>lo</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
тс	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

$\bigcirc$	۲	٨		Ē	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

		×	*		<b>e</b> X	×	×
с	E	F	Ν	0 т		Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			$\diamond$		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment